# VBI Vulnerabilities Portfolio

October 28, 2013

<dtrammell@vulnbroker.com>
http://www.vulnbroker.com/

CONFIDENTIAL

# Contents

1	Foreword		6				
	1.1 Document F	Formatting	6				
	1.2 Properties a	nd Definitions	6				
	1.2.1	Vulnerability Properties	6				
	1.2.2	Vulnerability Test Matrix	8				
	1.2.3	Exploit Properties	8				
2	Adobe Systems	Incorporated	12				
	2.1 Flash Player	•	12				
	VBI-12-033	Adobe Flash Player Client-side Remote Code Execution	12				
	2.2 Photoshop CS6						
	VBI-13-011	Adobe Photoshop CS6 Client-side Remote Code Execution	15				
3	Apple, Inc.		17				
	3.1 iOS		17				
	VBI-12-036	Apple iOS Remote Forced Access-Point Association	17				
	VBI-12-037	Apple iOS Remote Forced Firmware Update Avoidance	18				
4	ASUS		21				
	4.1 BIOS Device	e Driver	21				
	VBI-13-015	ASUS BIOS Device Driver Local Privilege Escalation	22				
5	AVAST Software	e a.s.	24				
	5.1 avast! Anti-	Virus	24				

## VBI Vulnerabilities Portfolio

	VBI-13-005	avast! Local Information Disclosure	24
	VBI-13-010	avast! Anti-Virus Local Privilege Escalation	26
6	Barracuda Netw	orks, Inc.	28
	6.1 Web Filter		28
	VBI-13-000	Barracuda Web Filter Remote Privileged Code Execution	28
	VBI-13-002	Barracuda Web Filter Remote Privileged Code Execution	31
7	Dell, Inc.		34
	7.1 SonicWALL		34
	VBI-12-031	Dell SonicWALL Multiple Products Remote Command Execution	34
8	Fulvio Ricciardi		37
	8.1 ZeroShell .		37
	VBI-13-014	ZeroShell Remote Privileged Command Execution	37
9	Google		39
	9.1 Android .		39
	VBI-13-022	Google Android Local Application Permissions Evasion	39
10	Juniper Network	s	42
	10.1 Network Cor	nnect Server	42
	VBI-12-034	Juniper Network Connect Server Local Privilege Escalation	42
11	Kingsoft Office	Software	45
	11.1 Kingsoft Off	ice	45
	VBI-13-016	Kingsoft Office Client-side Remote Code Execution	46
12	Korea Computer	Center	48
	12.1 Red Star OS	5	48
	VBI-12-008	${\sf Red\ Star\ OS\ Sat\ Privileged\ Remote\ and\ Client-Side\ Command\ Execution}.$	48
	VBI-12-011	Red Star OS Local Privilege Escalation	49
	VBI-12-012	Red Star OS Local Privilege Escalation	50

	VBI-12-013	Red Star OS Local Privilege Escalation	51
	VBI-12-014	Red Star OS Local Privilege Escalation	52
	VBI-12-015	Red Star OS Local Privilege Escalation	52
	VBI-12-016	Red Star OS Local Privilege Escalation	53
	VBI-12-017	Red Star OS Local Privilege Escalation	54
	VBI-12-018	Red Star OS Local Privilege Escalation	55
	VBI-12-019	Red Star OS Local Privilege Escalation	55
	VBI-12-020	Red Star OS Local Privilege Escalation	56
	VBI-12-021	Red Star OS Local Privilege Escalation	57
	VBI-12-022	Red Star OS Local Privilege Escalation	58
	VBI-12-023	Red Star OS Local Privilege Escalation	59
	VBI-12-024	Red Star OS Local System Reboot Privilege Escalation	59
13	McAfee, Inc.		61
	13.1 ePolicy Orch	nestrator	61
	VBI-13-019	McAfee ePolicy Orchestrator Privileged Remote Code Execution	62
14	VBI-13-019  Microsoft Corpo		62 <b>64</b>
14	Microsoft Corpo		
14	Microsoft Corpo	oration	64
14	Microsoft Corpo	oration	<b>64</b>
14	Microsoft Corpo 14.1 Internet Exp VBI-12-026 VBI-13-009	oration  Slorer	64 65
14	Microsoft Corpo 14.1 Internet Exp VBI-12-026 VBI-13-009	Internet Explorer 8 Remote Code Execution	64 65 65
14	Microsoft Corpo 14.1 Internet Exp VBI-12-026 VBI-13-009 14.2 Microsoft O VBI-12-035	Internet Explorer 8 Remote Code Execution	64 65 65 66
14	Microsoft Corpo 14.1 Internet Exp VBI-12-026 VBI-13-009 14.2 Microsoft O VBI-12-035	Internet Explorer 8 Remote Code Execution	64 65 65 66 68 68
14	Microsoft Corpo 14.1 Internet Exp VBI-12-026 VBI-13-009 14.2 Microsoft O VBI-12-035 14.3 Windows .	Internet Explorer 8 Remote Code Execution  Microsoft Internet Explorer Client-side Remote Code Execution  ffice  Microsoft Office Client-Side Remote Code Execution	64 65 65 66 68 68 70
14	Microsoft Corpo 14.1 Internet Exp VBI-12-026 VBI-13-009 14.2 Microsoft O VBI-12-035 14.3 Windows . VBI-10-019	Internet Explorer 8 Remote Code Execution  Microsoft Internet Explorer Client-side Remote Code Execution  ffice  Microsoft Office Client-Side Remote Code Execution  Windows Core Component Client-Side Remote Code Execution	644 655 666 688 700 700
14	Microsoft Corpo 14.1 Internet Exp VBI-12-026 VBI-13-009 14.2 Microsoft O VBI-12-035 14.3 Windows . VBI-10-019 VBI-12-002	Internet Explorer 8 Remote Code Execution  Microsoft Internet Explorer Client-side Remote Code Execution  Microsoft Office Client-Side Remote Code Execution  Windows Core Component Client-Side Remote Code Execution  Microsoft Windows XP Kernel Local Privilege Escalation	644 655 665 668 688 700 711
14	Microsoft Corpo 14.1 Internet Exp VBI-12-026 VBI-13-009 14.2 Microsoft O VBI-12-035 14.3 Windows . VBI-10-019 VBI-12-002 VBI-12-003	Internet Explorer 8 Remote Code Execution  Microsoft Internet Explorer Client-side Remote Code Execution  ffice  Microsoft Office Client-Side Remote Code Execution  Windows Core Component Client-Side Remote Code Execution  Microsoft Windows XP Kernel Local Privilege Escalation  Microsoft Windows Local Privilege Escalation	644 655 666 688 700 711 722
14	Microsoft Corports 14.1 Internet Exp VBI-12-026 VBI-13-009 14.2 Microsoft O VBI-12-035 14.3 Windows . VBI-10-019 VBI-12-002 VBI-12-003 VBI-12-004	Internet Explorer 8 Remote Code Execution  Microsoft Internet Explorer Client-side Remote Code Execution  ffice  Microsoft Office Client-Side Remote Code Execution  Windows Core Component Client-Side Remote Code Execution  Microsoft Windows XP Kernel Local Privilege Escalation  Microsoft Windows Local Privilege Escalation  Microsoft Windows Local Protection Bypass	644 655 666 688 700 711 722 733

15	Mozilla Corpora	tion	78
	15.1 Firefox		78
	VBI-13-012	Mozilla Firefox Client-side Remote Code Execution	78
	VBI-13-017	Mozilla Firefox Client-side Remote Code Execution	80
16	Multiple Vendor	s	83
	16.1 Multiple BS	D Jails	83
	VBI-13-006	$\label{eq:multiple_BSD_Jail_Local_Jail_Escape} \ \text{and Privileged Command Execution} \ . \ .$	83
17	Multiple Anti-Vi	irus and Anti-Malware Vendors	85
	17.1 Multiple An	ti-Virus and Anti-Malware Products	85
	VBI-10-014	Malicious Portable Executable Detection Bypass	85
18	Novell		88
	18.1 Novell Clien	ts	88
	VBI-10-004	Novell Client Remote Code Execution	88
19	Open Source		91
	19.1 tcpdump .		91
	VBI-12-028	tcpdump Local Privilege Escalation and Backdoor with Firewall Evasion	91
20	Opera Software	ASA	93
	20.1 Opera Web	Browser	93
	VBI-13-018	Opera Web Browser Universal Client-side Remote Code Execution	93
21	Oracle Corporat	ion	97
	21.1 Java		97
	VBI-10-030	Java Virtual Machine (JRE & JDK) Client-Side Remote Code Execution $$ .	97
	21.2 WebCenter	Content	98
	VBI-12-038	Oracle WebCenter Content Core Component Remote Authentication Bypass and Code Execution	99
22	Parallels IP Hole	dings GmbH	101
	22.1 Plesk Panel		101

## VBI Vulnerabilities Portfolio

	VBI-13-003	Parallels Plesk Panel Remote Code Execution	101
23	PineApp Ltd.		104
	23.1 Mail-SeCure		104
	VBI-11-011	PineApp Mail-SeCure Remote Command Execution	104
24	Safenet, Inc.		106
	24.1 Sentinel HAS	SP	106
	VBI-13-007	Safenet Sentinel HASP Local Privilege Escalation	107
25	Tencent		109
	25.1 QQ Player .		110
	VBI-13-004	Tencent QQ Player Client-side Remote Code Execution	110
26	Zabbix SIA		112
	26.1 Zabbix		112
	VBI-12-030	Zabbix Remote Code Execution	112
27	Vulnerability His	tory and Status	115
Re	ferences		118

## Foreword

The technical information and intellectual property rights for the vulnerabilities summarized within this portfolio are available for purchase under the terms of your contract with VBI. This portfolio is intended to provide a current listing of available vulnerabilities with enough information to be able to make an initial determination of interest for any particular vulnerability. If there is a piece of information regarding any vulnerability that you feel would assist in making such a determination, please engage in a direct dialog with a VBI representative.

## 1.1 Document Formatting

The format of this document provides structured content for convenient navigation. Each Vendor has it's own "chapter", each target system or product has it's own "section", and each individual vulnerability has it's own "subsection". By perusing the vulnerability listing provided by the Table of Contents at the beginning of this document, any vulnerability of interest should be easily identifiable. Your PDF document reader should then allow you to click directly on the vulnerability ID or name in the Table of Contents listing and navigate directly to the summary information for that vulnerability.

## 1.2 Properties and Definitions

### 1.2.1 Vulnerability Properties

• Expiration Date

This is the date that availability of the vulnerability listed through this channel will expire and it will be marketed or sold through other channels. This may include outside exclusive sale, sale to a vulnerability purchasing program or bug bounty, or direct disclosure to the affected vendor.

• Listing Date

This is the date that the vulnerability was originally listed in our portfolio. This date can be used to gage the relative maturity of a vulnerability.

October 28, 2013 CONFIDENTIAL Page 6 of 120

#### Platforms

Some software products are cross-platform or available for multiple platforms. This collection of properties describes the platforms tested and assumed to be affected by the vulnerability as well as tested unaffected platforms.

- The "Affected Platforms Tested" property identifies platforms that have been tested and verified vulnerable.
- The "Affected Platforms Assumed" property describes platforms that are assumed to be vulnerable but have not been explicitly tested.
- The "Unaffected Platforms" property describes versions that have been tested and verified unaffected.

#### Examples include values such as:

- All Microsoft Windows
- x86-32 Microsoft Windows XP
- x86-32 Microsoft Windows XP SP3
- x86-64 Microsoft Windows Vista SP2 FP(2012.05.01)
- Linux Kernel 2.6.23
- Apple Mac OS X 10.6.1
- Solaris 9

The indicator FP() indicates that a platform has been fully patched to the indicated date.

Note that Platforms are listed with reference numbers that are used in the Vulnerability Test Matrix.

#### Reliability Rating

This property describes how reliable triggering the vulnerability is, and is rated anywhere from Completely Reliable (100%) to Cross Your Fingers and Pray (<10%)

#### Target

This property describes the vulnerable target. This may include software such as an application, library, or firmware, or hardware such as an integrated circuit, logic board, or hardware system such as a hardware radio or mobile cellular device.

#### Versions

This collection of properties describe what version or versions of the affected software or hardware has been tested or is assumed vulnerable, as well as versions tested and verified unaffected.

- The "Affected Versions Tested" property identifies versions that have been tested and verified vulnerable.
- The "Affected Versions Assumed" property describes versions that are assumed to be vulnerable but have not been explicitly tested.
- The "Unaffected Versions" property describes versions that have been tested and verified unaffected.

#### • Vulnerability Class

This property describes the type of vulnerability. Example values include the following:

- Design/Logic Flaw
- Memory Corruption
- Input Validation Error or Omission
- Misconfiguration
- Information Disclosure
- Cryptographic Flaw
- Denial-of-Service

#### VBI Asset Availability

This property describes the methods of purchase that the asset is available to be purchased as. Methods include:

- Exclusive Sale The asset is available for one-time, exclusive sale.
- Non-exclusive Sale The asset is available for non-exclusive sale, indicating that it may be sold multiple times to different Customers.
- Monthly License The asset is available to be licensed for use on a month-by-month basis.

#### VBI Asset Type

This property describes the type of asset that is listed, which will either be *Brokered* or *Internal*. *Brokered* assets are assets that VBI is marketing on behalf of a Client whereas *Internal* are internally developed assets from VBI R&D. *Brokered* assets will be further denoted whether they are available for *Immediate Delivery* or if we will perform testing and validation after receiving a Purchase Order and before delivery (*Delayed Delivery*).

#### 1.2.2 Vulnerability Test Matrix

The Vulnerability Test Matrix is intended to provide an exact listing of which vulnerable versions have been tested in combination with which platforms. The matrix lists vulnerable versions down the left side of the matrix (rows) and platforms across the top of the matrix (columns). Platforms are listed as numbers corresponding to their place in the Vulnerability Information's Platforms list. Individual combination cell values are as follows:

- "V" Combination has been tested as Vulnerable
- "N" Combination has been tested as Not Vulnerable
- blank Combination is untested

### 1.2.3 Exploit Properties

#### Attack Vector

This property describes the implemented or most effective perceived attack vector for exploitation of the vulnerability. Values include:

- **Local** - The vulnerability requires local access to the target for exploitation.

- Remote The vulnerability can be exploited remotely across a network.
- Client-Side The vulnerability resides in client software such as a web browser, email application, media player, etc.
- **File Format** The vulnerability is exploited via a malicious file.

This property may also be augmented by a qualifier. Qualifiers include:

- Post-auth The attack vector requires authentication of some form prior to exploitation.
- Passive The attack is passive in that it requires action on the part of the target to trigger the payload.

#### Development Goal

This property describes our Client's development goal and indicates the development target should our Client be actively developing the vulnerability. Values include:

- Information A dossier of information about the vulnerability that does not include an exploit.
- Instructions A written instruction set describing how to exploit the vulnerability.
- Proof-of-Concept An executable, malicious file, malicious web page, or other material that triggers or otherwise demonstrates the existence of the vulnerability.
- Exploit An executable, malicious file, malicious web page, or other material that leverages
  the vulnerability to accomplish something benign such as execute a harmless application,
  spawn a dialog box, etc.
- Professional Exploit An exploit that contains an operational payload that accomplishes a task such as the addition of an administrative user on the system, opens a backdoor port on the network interface, spawns a command shell and connects it to a remote host, etc. This also includes exploits written to integrate with an attack or exploitation framework that can provide the exploit with an operational payload such as Metasploit, CORE IMPACT, or Immunity Canvas.
- Utility An executable that does not exploit the vulnerability itself but otherwise assists in the exploitation of the vulnerability. Utilities would include applications such as malicious file exploit generators, network scanners, etc.

All Development Goal values include an "Information" dossier.

#### • Development Phase

This property describes the current development phase should our Client be actively developing the vulnerability. Values are the same as for the *Development Goal* property.

#### • Development Status

This property indicates whether our Client is actively developing the vulnerability. Values are either *Active*, *Inactive*, or *Complete*.

#### • Exploit Features

This property lists any additional features that the Proof-of-Concept or exploit provides that are not covered by the other listing properties. Examples of such items are:

Metasploit Exploit Module

- ASLR Handled
- DEP Bypass
- ROP Payload
- Encoding-based Evasions

#### • Exploitation Context

This property describes the context within which the successful result of exploitation will operate; usually, the level of access to the target that is obtained. Values include:

- User The user running the software or application.
- SuperUser Some elevated level of access beyond a regular user.
- **Root** The root account on a UNIX or UNIX-like operating system.
- Administrator Administrator access on a Microsoft operating system.
- **Kernel** Within the context of the running kernel.
- **File** Access to or the contents of a particular file.

#### • Exploitation Impact

This property describes the result from exploitation of the vulnerability. Values include:

- Code Execution Arbitrary machine code execution can be achieved.
- **Command Execution** Arbitrary shell commands are able to be executed.
- **Denial of Service** The target becomes unavailable or unresponsive.

#### • Exploitation Indicators

This property describes indicators left on a target system or within target data that may indicate that the target had been attacked. This includes objects left in the filesystem, event or system logs, crashing processes, etc.

#### Prerequisites

This property describes any components or software other than the vulnerable software that must be present on the target system for the exploit or Proof-of-Concept to function as expected.

#### • Reliability Rating

This property describes how reliable the developed exploitation method is, and is rated anywhere from Completely Reliable (100%) to Cross Your Fingers and Pray (<10%)

#### Supported Targets

This property explicitly lists the targets supported by the Proof-of-Concept or exploit. Targets are combinations of vulnerable versions and platforms. Examples of targets are as follows:

- Java 1.6.24 on Internet Explorer 8 on Windows XP SP3
- 2.3.x on Windows 7 SP1
- 2.3.14 on All Microsoft Windows

### • Windows Integrity Level

This property describes the Windows integrity level[1] achieved by exploitation on Windows platforms that have User Access Controls implemented. On Windows platforms with UAC, processes execute at a given integrity level which may or may not limit that process's access to certain system resources. Integrity levels are listed below:

- Low (IE Protected Mode)
- Medium (User)
- High
- $\ \, \mathsf{System}$

# Adobe Systems Incorporated

"Adobe[2] revolutionizes how the world engages with ideas and information. Our award-winning software and technologies have set the standard for communication and collaboration for more than 25 years, bringing vital and engaging experiences to people across media and to every screen in their lives, at work and at play.

The impact of Adobe software is evident almost everywhere you look. Whether people are collaborating at work, transacting online, or socializing with friends, businesses use Adobe software and technologies to turn digital interactions into richer, high-value experiences that reach across computing platforms and devices to engage people anywhere, anytime.

With a reputation for excellence and a portfolio of many of the most respected and recognizable software brands, Adobe is one of the world's largest and most diversified software companies."

## 2.1 Flash Player

"Adobe® Flash® Player[3] is a cross-platform browser-based application runtime that delivers uncompromised viewing of expressive applications, content, and videos across screens and browsers. Flash Player 10.1 is optimized for high performance on mobile screens and designed to take advantage of native device capabilities, enabling richer and more immersive user experiences."

#### VBI-12-033 Adobe Flash Player Client-side Remote Code Execution

#### Vulnerability Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2012.07.15

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 12 of 120

	- continued from previous page.
Vulnerability Class	Memory Corruption
Affected Versions Tested	11.3.300.265
	11.2.202.228
Affected Versions Assumed	Versions between 11.2.202.228 and 11.3.300.265
Unaffected Versions	
Affected Platforms Tested	1: Internet Explorer 9.0.8112 on x86-32 Microsoft Windows 7 SP1
	FP(2012.07.15)
	2: Mozilla Firefox 13.0.1 on x86-32 Microsoft Windows 7 SP1
	FP(2012.07.15)
	3: Google Chrome 20.0.1132.57 m on x86-32 Microsoft Windows 7
	SP1 FP(2012.07.15)
	4: Internet Explorer 9.0.8112 on x86-64 Microsoft Windows 7 SP1
	FP(2012.07.15)
	5: Mozilla Firefox 13.0.1 on x86-64 Microsoft Windows 7 SP1
	FP(2012.07.15)
	6: Google Chrome 20.0.1132.57 m on x86-64 Microsoft Windows 7
	SP1 FP(2012.07.15)
	7: Internet Explorer 9.0.8112 on x86-64 Microsoft Windows Vista
	SP2 FP(2012.07.15)
	8: Mozilla Firefox 13.0.1 on x86-64 Microsoft Windows Vista SP2
	FP(2012.07.15)
	9: Google Chrome 20.0.1132.57 m on x86-64 Microsoft Windows
	Vista SP2 FP(2012.07.15)
	10: Internet Explorer 9.0.8112 on x86-32 Microsoft Windows Vista
	SP2 FP(2012.07.15)
	11: Mozilla Firefox 13.0.1 on x86-32 Microsoft Windows Vista SP2
	FP(2012.07.15)
	12: Google Chrome 20.0.1132.57 m on x86-32 Microsoft Windows
	Vista SP2 FP(2012.07.15)
	13: Internet Explorer 8.0.6001 on x86-32 Microsoft Windows XP
	SP3 FP(2012.07.15)
	14: Mozilla Firefox 13.0.1 on x86-32 Microsoft Windows XP SP3
	FP(2012.07.15)
	15: Google Chrome 20.0.1132.57 m on x86-32 Microsoft Windows
	XP SP3 FP(2012.07.15)
	16: Mozilla Firefox 13.0.1 on x86-64 Ubuntu Linux 12.04
Acc   I DI   c	FP(2012.07.15)
Affected Platforms Assumed	
Unaffected Platforms	C 1 1 (1000/)
Reliability Rating	Completely (100%)

## Vulnerability Test Matrix

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
11.3.300.265	V	V	V	V	V	V	V	V	V	V	V	V	V	V	V	V
11.2.202.228	V	V	V	V	V	V	V	V	V	V	V	V	V	V	V	V

## Exploit / Proof-of-Concept Information

Supported Targets	Internet Explorer 9.0.8112 on x86-32 Microsoft Windows 7 SP1
Supported Targets	FP(2012.07.15)
	Mozilla Firefox 13.0.1 on x86-32 Microsoft Windows 7 SP1
	FP(2012.07.15)
	Google Chrome 20.0.1132.57 m on x86-32 Microsoft Windows 7 SP1
	FP(2012.07.15)
	Internet Explorer 9.0.8112 on x86-64 Microsoft Windows 7 SP1
	FP(2012.07.15)
	Mozilla Firefox 13.0.1 on x86-64 Microsoft Windows 7 SP1
	FP(2012.07.15)
	Google Chrome 20.0.1132.57 m on x86-64 Microsoft Windows 7 SP1 FP(2012.07.15)
	Internet Explorer 9.0.8112 on x86-64 Microsoft Windows Vista SP2
	FP(2012.07.15)
	Mozilla Firefox 13.0.1 on x86-64 Microsoft Windows Vista SP2
	FP(2012.07.15)
	Google Chrome 20.0.1132.57 m on x86-64 Microsoft Windows Vista SP2 FP(2012.07.15)
	Internet Explorer 9.0.8112 on x86-32 Microsoft Windows Vista SP2
	FP(2012.07.15)
	Mozilla Firefox 13.0.1 on x86-32 Microsoft Windows Vista SP2
	FP(2012.07.15)
	Google Chrome 20.0.1132.57 m on x86-32 Microsoft Windows Vista
	SP2 FP(2012.07.15)
	Internet Explorer 8.0.6001 on x86-32 Microsoft Windows XP SP3
	FP(2012.07.15)
	Mozilla Firefox 13.0.1 on x86-32 Microsoft Windows XP SP3
	FP(2012.07.15)
	Google Chrome 20.0.1132.57 m on x86-32 Microsoft Windows XP
Attack Vastan	SP3 FP(2012.07.15) Client-side
Attack Vector	Code Execution
Exploitation Impact Exploitation Context	Sandboxed on Mozilla Firefox 13.0.1 on Windows 7 and Vista targets
Exploitation Context	User on Internet Explorer and Windows XP targets
Windows Integrity Level	Low on Internet Explorer targets
vvilidows integrity Level	Low (sandboxed) on Mozilla Firefox targets
Exploitation Indicators	Target process crashes after successful exploitation*
Prerequisites	ranger process statistic area successful dispressures.
Reliability Rating	High (90%) for Windows XP SP3 targets (DEP)
	Medium (50%) for Internet Explorer on Windows 7 SP1 and Vista
	SP2 targets (ASLR+DEP)
	Medium (50%) for Firefox on Windows 7 and Vista targets
	Medium (50%) for Chrome on Windows targets
Development Status	Active*
Development Phase	Exploit
Development Goal	Exploit
	<del></del>

<ul><li>continued</li></ul>		

Exploit Features	ASLR bypass via memory disclosure
	DEP handling via ROP

<sup>\*</sup> Ongoing development to improve reliability to 100%, provide a sandbox bypass for Firefox targets, and provide process continuation for the target browser processes.

## 2.2 Photoshop CS6

"Adobe Photoshop CS6[4] delivers magic that helps you bring your creative vision to life. Edit raw image files and other photos with state-of-the-art photo editing. Create compelling HDR images, black-and-whites, and panoramas. Retouch images with astonishing ease and control. Design anything you can imagineat amazing speed. Paint and draw naturally and expressively. Even put your ideas in motion by intuitively creating stunning videos.

- Experience imaging magicCorrect, refine, and composite images with remarkable ease and control. New Content-Aware features take image retouching to a new level. Get superior results when you crop, correct wide-angle lens curvatures, auto-correct, and more.
- Maximize your creativityExperience creative breakthroughs with features that expand your visual language. Intuitively create videos within the familiar Photoshop environment. Work more fluidly with new and reengineered design tools. Create custom photographic blurs, and paint and draw more expressively.
- Achieve peak performanceTake full advantage of your hardwares power and save significant time.
   Edit at blazingly fast speeds with the new Mercury Graphics Engine. Boost your productivity with new preset migration and sharing, new auto-recovery and background save options, and a modern user interface.

#### ,,

#### VBI-13-011 Adobe Photoshop CS6 Client-side Remote Code Execution

#### **VBI** Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2013.06.22
Expiration Date	

Vulnerability Information

Target	Adobe Photoshop CS6
Vulnerability Class	Memory Corruption
Affected Versions Tested	13.1.2 x64
	13.1.2 x32
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x64 Microsoft Windows 7 SP1 (FP:2013-06-22)
	2: x32 Microsoft Windows 7 SP1 (FP:2013-06-22)
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

## Vulnerability Test Matrix

	1	2
13.1.2 x64	V	
13.1.2 x32	V	V

### Exploit / Proof-of-Concept Information

Supported Targets	13.1.2 x64 on x64 Microsoft Windows 7
	13.1.2 x32 on x64 Microsoft Windows 7
	13.1.2 x32 on x32 Microsoft Windows 7
Attack Vector	Client-side File Format
Exploitation Impact	Code Execution
Exploitation Context	User
Windows Integrity Level	Medium
Exploitation Indicators	
Prerequisites	Network connectivity*
Reliability Rating	Very High (99%)**
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	ASLR handled
	DEP bypassed
	Process continuation

<sup>\*</sup> Exploitation makes use of a two-stage payload. The second stage is downloaded from an attacker-controlled webday server.

October 28, 2013 CONFIDENTIAL Page 16 of 120

<sup>\*\*</sup> Each target was tested 30 times, with 1 failure out of all 90.

# Apple, Inc.

"Apple[5] ignited the personal computer revolution in the 1970s with the Apple II and reinvented the personal computer in the 1980s with the Macintosh. Apple is committed to bringing the best personal computing experience to students, educators, creative professionals and consumers around the world through its innovative hardware, software and Internet offerings."

## 3.1 iOS

"iOS[6] is Apple's mobile operating system, used to drive such devices as the iPhone and iPad mobile devices."

## VBI-12-036 Apple iOS Remote Forced Access-Point Association

#### Vulnerability Information

VBI Asset Type	Brokered	
VBI Asset Availability	Exclusive Purchase	
	Non-Exclusive Purchase	
	Monthly License	
Listing Date	2012.07.31	
Expiration Date	2012.07.31	
Vulnerability Class	Design Flaw	
Affected Versions Tested	5.1.1	
	5.1	
	5.0.1	
Affected Versions Assumed	5.x	
Unaffected Versions		
Affected Platforms Tested	1: iPhone 4S	
	2: iPad	

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 17 of 120

	3: iPad 2
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

## Vulnerability Test Matrix

	1	2	3
5.1.1	V	V	V
5.1	V	V	V
5.0.1	V	V	V

## Exploit / Proof-of-Concept Information

Supported Targets	5.1.1 on iPhone 4S	
	5.1.1 on iPad	
	5.1.1 on iPad 2	
	5.1 on iPhone 4S	
	5.1 on iPad	
	5.1 on iPad 2	
	5.0.1 on iPhone 4S	
	5.0.1 on iPad	
	5.0.1 on iPad 2	
Attack Vector	Remote	
Exploitation Impact	Access-Point Association	
Exploitation Context	IP Network Connectivity	
Exploitation Indicators		
Prerequisites	Target must have it's Wi-Fi radio enabled	
	Target must not be associated to an existing Wi-Fi Access Point	
Reliability Rating	Completely (100%)	
Development Status	Complete	
Development Phase	Exploit	
Development Goal	Exploit	
Exploit Features		

## VBI-12-037 Apple iOS Remote Forced Firmware Update Avoidance

### Vulnerability Information

VBI Asset Type	Brokered	
VBI Asset Availability	Exclusive Purchase	
	Non-Exclusive Purchase	
	Monthly License	

Listing Date	2012.08.09
Vulnerability Class	Design Flaw
Target	Apple iOS
Affected Versions Tested	6.0.1
	6.0
	6 Beta 3
	5.1.1
	5.1
	5.0.1
Affected Versions Assumed	6 Beta x
	5.x
Unaffected Versions	
Affected Platforms Tested	1: iPhone 4s
	2: iPad
	3: iPad2
	4: iPad3
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

## Vulnerability Test Matrix

	1	2	3	4
6.0.1	V		V	V
6.0	V		V	V
6 Beta 3	V	V	V	V
5.1.1	V	V	V	V
5.1	V	V	V	V
5.0.1	V	V	V	V

## Exploit / Proof-of-Concept Information

Supported Targets	6.0.1 on iPad2
	6 Beta 3 on iPad 2
	5.1.1 on iPhone 4S
	5.1.1 on iPad
	5.1.1 on iPad 2
	5.1.1 on iPad 3
	5.1 on iPhone 4S
	5.1 on iPad
	5.1 on iPad 2
	5.0.1 on iPhone 4S
	5.0.1 on iPad
	5.0.1 on iPad 2
Attack Vector	Passive Remote (via Internet Protocol)*

Exploitation Impact	Prevents Firmware Updates**
Exploitation Context	Maintains Current Device Environment
Exploitation Indicators	Device displays current real firmware version
Prerequisites	IP network connectivity to the target device***
Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Utility
Development Goal	Utility
Exploit Features	Multiple attack scenarios supported

- \* The currently implemented attack is passive in nature, however using some additional techniques an active version of the attack is possible.
- \*\* The device will consider itself updated and continue operating with its current firmware version even if new firmware updates are released. Note however that iTunes follows its own iOS update process which is independent from the OS's process; The target device may become aware of available updates if it is directly connected to iTunes via the USB cable. However, beginning with iOS 5, devices have had the ability to sync and backup wirelessly over their Wi-Fi connection, making USB connections much less common.
- \*\*\* This vulnerability may be coupled with VBI-12-036 to achieve IP connectivity to the target device.

## **ASUS**

"ASUS[7] takes its name from Pegasus, the winged horse in Greek mythology that symbolises wisdom and knowledge. ASUS embodies the strength, purity, and adventurous spirit of this fantastic creature, and soars to new heights with each new product it creates.

The Taiwanese information technology industry has grown enormously over the last few decades and the country is now a dominant player in the global market. ASUS has long been at the forefront of this growth and although the company started life as a humble motherboard manufacturer with a handful of employees, it is now the leading technology company in Taiwan and employs over 11,000 people around the world. ASUS makes products in almost every conceivable category of information technology too, including PC components and peripherals, notebooks, tablets, servers and smartphones.

Innovation is key to the success of ASUS. Having unveiled the PadFone to a rapturous audience at Computex 2011, this year ASUS chairman Jonney Shih raised the bar once more with the announcement of the TAICHI and Transformer Book dual-purpose mobile devices.

The ASUS TAICHI is an Ultrabook with a double-sided display that allows it to be used as a tablet when the lid is closed, while the Transformer Book is a tablet that can be docked to a keyboard for instant transformation into an Ultrabook.

Together with the Tablet 810 with Windows 8 and Tablet 600 with Windows RT, ASUS has an array of products that will surpass its users imaginations as the world enters a new era of cloud computing.

This visionary approach is why ASUS is a major proponent in bringing quality innovation and design into its users lives. ASUS products won 3,886 international awards and accolades in 2011, and company revenue was over US\$11.9 billion."

#### 4.1 BIOS Device Driver

"The device driver for ASUS motherboard BIOS chips."

October 28, 2013 CONFIDENTIAL Page 21 of 120

## VBI-13-015 ASUS BIOS Device Driver Local Privilege Escalation

#### **VBI** Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2013.08.12
Expiration Date	

### Vulnerability Information

Target	ASUS BIOS Device Driver
Vulnerability Class	Design or Logic Flaw
Affected Versions Tested	V71803
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x64 Microsoft Windows 7 SP1
Affected Platforms Assumed	All Windows supported by driver
Unaffected Platforms	
Reliability Rating	Completely (100%)

## Vulnerability Test Matrix

	1
V71803	V

## Exploit / Proof-of-Concept Information

Supported Targets	V71803 on x64 Microsoft Windows 7 SP1
Attack Vector	Local
Exploitation Impact	Unsigned Code Execution
Exploitation Context	Kernel
Windows Integrity Level	n/a
Exploitation Indicators	Log entries indicating driver load and unload
Prerequisites	Administrator*
Reliability Rating	Completely (100%)
Development Status	Active
Development Phase	Proof-of-Concept allowing arbitrary code execution
Development Goal	Custom Exploit**
Exploit Features	Evades Signed driver check
	Bypasees KASLR
	Evades DEP

<sup>\*</sup> Administrator access to the system is required as the vulnerable driver, which is delivered by the exploit, must be loaded prior to exploitation.

<sup>\*\*</sup> Exploit payload and impact can be customized upon request.

## AVAST Software a.s.

"AVASTs[8] roots go back to 1988, when Czech researchers Eduard Kuera and Pavel Baudi encountered the Vienna Virus and began their quest to save the worlds computers from it and others like it.

Today, AVAST has over professionals headquartered in Prague, Czech Republic, additional offices in Austria, Germany, and the USA, distribution partners in all markets, and a global community of avast! enthusiasts."

### 5.1 avast! Anti-Virus

"avast![9] is, both freeware and commercial, an antivirus computer program with user interface that includes 41 languages, available for Microsoft Windows, Mac OS X and Linux platforms. The name Avast is an acronym of 'Anti-Virus Advanced Set'.

avast! has been awarded the VB100 Award by Virus Bulletin multiple times for 100% detection of "inthe-wild" viruses and also won the Secure Computing Readers' Trust Award. The central scanning engine has been certified by ICSA Labs and West Coast Labs' Checkmark process."

#### VBI-13-005 avast! Local Information Disclosure

#### **VBI** Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2013.04.26
Expiration Date	

Vulnerability Information

October 28, 2013 CONFIDENTIAL Page 24 of 120

Target	avast! Anti-Virus
Vulnerability Class	Information Disclosure
Affected Versions Tested	8.0.1485
	8.0.1484
	8.0.1483
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32 Microsoft Windows 7 SP1 FP(2013.04.26)
	2: x86-32 Microsoft Windows XP SP3 FP(2013.04.26)
Affected Platforms Assumed	All Microsoft Windows 7
	All Microsoft Windows XP
Unaffected Platforms	
Reliability Rating	Completely (100%)

## Vulnerability Test Matrix

	1	2
8.0.1485	V	V
8.0.1484		V
8.0.1483		V

## Exploit / Proof-of-Concept Information

Supported Targets	8.0.1485 on x86-32 Microsoft Windows 7 SP1
	8.0.1485 on x86-32 Microsoft Windows XP SP3
	8.0.1484 on x86-32 Microsoft Windows XP SP3
	8.0.1483 on x86-32 Microsoft Windows XP SP3
Attack Vector	Local
Exploitation Impact	Information Disclosure: Kernel Memory
Exploitation Context	User
Windows Integrity Level	Current
Exploitation Indicators	Leaked memory data is written to file (erased upon reboot)
	Access Violation system crash if invalid address is targetted for dis-
	closure
	If the avast! AutoSandbox is enabled, each executable will be ana-
	lyzed and an alert window is shown to the user however the exploit
	still succeeds.
Prerequisites	
Reliability Rating	Completely (100%)
Development Status	Active
Development Phase	Exploit
Development Goal	Metasploit Exploit with post-exploitation cleanup
Exploit Features	Process continuation

October 28, 2013 CONFIDENTIAL Page 25 of 120

## VBI-13-010 avast! Anti-Virus Local Privilege Escalation

#### **VBI** Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2013-06-03
Expiration Date	

### Vulnerability Information

Target	avast! Anti-Virus
Vulnerability Class	Race Condition
	Memory Corruption
Affected Versions Tested	Free 8.0.1489
	Free 8.0.1488
	Free 8.0.1487
	Free 8.0.1486
	Free 8.0.1485
	Free 8.0.1484
	Free 8.0.1483
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32 Microsoft Windows 7 SP1 (FP:2013-06-05) English
	2: x86-32 Microsoft Windows XP SP3 Spanish
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

## Vulnerability Test Matrix

	1	2
Free 8.0.1489	V	V
Free 8.0.1488	V	V
Free 8.0.1487	V	V
Free 8.0.1486	V	V
Free 8.0.1485	V	V
Free 8.0.1484	V	V
Free 8.0.1483	V	V

Exploit / Proof-of-Concept Information

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 26 of 120

Supported Targets	Free 8.0.1489 on x86-32 Microsoft Windows 7 SP1 (FP:2013-06-05)
	English
	Free 8.0.1489 on x86-32 Microsoft Windows XP SP3 Spanish
	Free 8.0.1488 on x86-32 Microsoft Windows 7 SP1 (FP:2013-06-05)
	English
	Free 8.0.1488 on x86-32 Microsoft Windows XP SP3 Spanish
Attack Vector	Local
Exploitation Impact	Code Execution
Exploitation Context	SYSTEM
Windows Integrity Level	High
Exploitation Indicators	Data remains in configuration file which is erased upon reboot.
	If the avast! AutoSandbox is enabled, each executable will be ana-
	lyzed and an alert window is shown to the user however the exploit
	still succeeds.
Prerequisites	
Reliability Rating	High (95%)
Development Status	Active
Development Phase	Exploit for Windows XP SP3
Development Goal	Professional Exploit for Multiple Windows platforms including Win-
-	dows 7
Exploit Features	Process continuation

# Barracuda Networks, Inc.

"Barracuda Networks, Inc.[10] offers industry-leading solutions designed to solve mainstream IT problems efficiently and cost effectively while maintaining a level of customer support and satisfaction second to none. Our products span three distinct markets, including: 1) content security, 2) networking and application delivery, as well as 3) data storage, protection and disaster recovery.

While we maintain a strong heritage in email and web security appliances, our award-winning portfolio includes more than a dozen purpose-built solutions that support literally every aspect of the network providing organizations of all sizes with true end-to-end protection that can be deployed in hardware, virtual, cloud and mixed form factors.

CitiBank, Coca-Cola, Delta Dental, FedEx, Harvard University, IBM, L'Oreal, Liberty Tax Service, Myth-busters and Spokane Public Schools are amongst the more than 150,000 organizations worldwide confidently protecting their users, applications and data with Barracuda Networks solutions. The company is privately held with its international headquarters and manufacturing facility based in Campbell, California. Barracuda Networks has offices in eight international locations and distributors in more than 80 countries worldwide."

#### 6.1 Web Filter

"The Barracuda Web Filter[11] is an integrated content filtering, application blocking and malware protection solution that is powerful, easy to use and affordable for businesses of all sizes. It enforces Internet usage policies by blocking access to Web sites and Internet applications that are not related to business, and it easily and completely eliminates spyware and other forms of malware from your organization. No more costly staff time lost repairing infected computers."

#### VBI-13-000 Barracuda Web Filter Remote Privileged Code Execution

VBI Information

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 28 of 120

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2012.01.07
Expiration Date	

## Vulnerability Information

Target	Barracuda Web Filter Firmware
Vulnerability Class	Input Validation
Affected Versions Tested	5.1.1.004
	5.1.0.013
	5.0.0.016
	5.0.0.014
	5.0.0.012
	5.0.0.011
	5.0.0.010
	5.0.0.006
	5.0.0.004
	5.0.0.003
	5.0.0.002
	4.5.0.001
	4.4.0.015
	4.4.0.012
	4.4.0.011
	4.4.0.010
	4.4.0.006
	4.4.0.004
	4.4.0.003
	4.4.0.002
	4.3.0.015
	4.3.0.014
	4.3.0.013
	4.3.0.011
	4.3.0.010
	4.3.0.009
	4.3.0.008
	4.2.0.014
	4.2.0.013
	4.2.0.011
	4.2.0.007
	4.2.0.006
	4.2.0.005
	4.1.0.015
	4.1.0.011

- continued from previous page.
4.1.0.007
4.1.0.006
4.1.0.005
3.0.1.18
5.x*
4.x*
3.x*
6.0.0.013
6.0.0.012
6.0.0.011
6.0.0.010
1: Web Filter 210
2: Web Filter 310
3: Web Filter 410
4: Web Filter 610
5: Web Filter 810
6: Web Filter 1010
7: Web Filter 310 Vx
Web Filter 410 Vx
Web Filter 610 Vx
Completely (100%)

## Vulnerability Test Matrix

	1	2	3	4	5	6	7
5.1.1.004				V	V		
5.1.0.013		V					
5.0.0.016							V
4.5.0.001		V					
4.4.0.012		V					V
3.0.1.018		V					

Exploit / Proof-of-Concept Information

Supported Targets	5.1.1.004 on Web Filter 810
	5.1.1.004 on Web Filter 610
	5.1.0.013 on Web Filter 310
	4.5.0.001 on Web Filter 310
	4.4.0.012 on Web Filter 310
	3.0.1.018 on Web Filter 310
Attack Vector	Remote
Exploitation Impact	Code Execution
	Command Execution
	Proxy Zone Bypass

Exploitation Context	root	
Exploitation Indicators	Web server log entries	
Prerequisites	Network connectivity to proxy port (default 8080) or Web Admi	
	port (default 8000, sometimes 80 or 443) on the target	
Reliability Rating	Completely (100%)	
Development Status	Complete	
Development Phase	2 Professional Metasploit Exploits	
Development Goal	2 Professional Metasploit Exploits	
Exploit Features	Post-exploitation cleanup	
	IDS/IPS evasion	
	Combined/minimal protocol requests	
	Multiple Payloads: remote shell, command execution	
	Optional Actions: retrieve admin password, file upload	

<sup>\*</sup> The vulnerability is located in code that is universal and identical in all 3.x, 4.x, and 5.x firmware.

## VBI-13-002 Barracuda Web Filter Remote Privileged Code Execution

#### **VBI** Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2012.02.22
Expiration Date	

### Vulnerability Information

Target	Barracuda Web Filter Firmware
Vulnerability Class	Input Validation
Affected Versions Tested	5.1.1.004
	5.1.0.013
	5.0.0.016
	5.0.0.014
	5.0.0.012
	5.0.0.011
	5.0.0.010
	5.0.0.006
	5.0.0.004
	5.0.0.003
	5.0.0.002
	4.5.0.001
· ·	

- continued from previous page. 4.4.0.015 4.4.0.012 4.4.0.011 4.4.0.010 4.4.0.006 4.4.0.004 4.4.0.003 4.4.0.002 4.3.0.0154.3.0.014 4.3.0.013 4.3.0.011 4.3.0.010 4.3.0.009 4.3.0.008 4.2.0.014 4.2.0.013 4.2.0.011 4.2.0.007 4.2.0.006 4.2.0.005 4.1.0.015 4.1.0.011 4.1.0.007 4.1.0.006 4.1.0.0053.0.1.18 Affected Versions Assumed 5.x\* 4.x\* 3.x\* Unaffected Versions 6.0.0.013 6.0.0.012 6.0.0.011 6.0.0.010Affected Platforms Tested 1: Web Filter 210 2: Web Filter 310 3: Web Filter 410 4: Web Filter 610 5: Web Filter 810 6: Web Filter 1010 7: Web Filter 310 Vx Affected Platforms Assumed Web Filter 410 Vx Web Filter 610 Vx **Unaffected Platforms** 

Vulnerability Test Matrix

Completely (100%)

Reliability Rating

	1	2	3	4	5	6	7
5.1.1.004				V	V		
5.1.0.013		V					
5.0.0.016							V
4.5.0.001		V					
4.4.0.012		V					V
3.0.1.018		V					

Exploit / Proof-of-Concept Information

Supported Targets	5.1.1.004 on Web Filter 810
	5.1.1.004 on Web Filter 610
	5.1.0.013 on Web Filter 310
	5.0.0.016 on Web Filter 310 Vx
	4.5.0.001 on Web Filter 310
	4.4.0.012 on Web Filter 310
	4.4.0.012 on Web Filter 310 Vx
	3.0.1.018 on Web Filter 310
Attack Vector	Post-Auth Remote
Exploitation Impact	Code Execution
	Command Execution
	Proxy Zone Bypass
Exploitation Context	root
Exploitation Indicators	Web server log entries
Prerequisites	Network connectivity to proxy port (default 8080) or Web Admin
	port (default 8000, sometimes 80 or 443) on the target
	Successful Authentication
Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	2 Professional Metasploit Exploits
Development Goal	2 Professional Metasploit Exploits
Exploit Features	Post-exploitation cleanup
	IDS/IPS evasion
	Combined/minimal protocol requests
	Multiple Payloads: remote shell, command execution
	Optional Actions: retrieve admin password, file upload

<sup>\*</sup> The vulnerability is located in code that is universal and identical in all 3.x, 4.x, and 5.x firmware.

October 28, 2013 CONFIDENTIAL Page 33 of 120

# Dell, Inc.

"For more than 28 years, Dell[12] has empowered countries, communities, customers and people everywhere to use technology to realize their dreams. Customers trust us to deliver technology solutions that help them do and achieve more, whether they're at home, work, school or anywhere in their world."

## 7.1 SonicWALL

"Dell SonicWALL[13] solutions are available for small and mid-sized business customers through large enterprise customers. They are deployed in large campus environments, distributed enterprise settings, government, retail point-of-sale and healthcare segments. Due to the constantly evolving landscape of threats, organizations need to deploy more comprehensive, dynamic security solutions. Dell SonicWALLs dynamic network security and data protection enable Dell to offer comprehensive Next-Generation Firewall and Unified Threat Management solutions. In addition, Dell SonicWALL also provides Secure Remote Access, Email Security, Backup and Recovery, and Management and Reporting to organizations of all sizes. Its Global Management System allows network administrators to centrally manage and provision thousands of security appliances across a widely distributed network."

# VBI-12-031 Dell SonicWALL Multiple Products Remote Command Execution

### Vulnerability Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2012.07.04
Expiration Date	
Vulnerability Class	Logic Flaw

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 34 of 120

	- continued from previous page.
Affected Versions Tested	Analyzer 7.0
	GMS 6.0.2 SP2*
	GMS 6.0 SP2*
	GMS 6.0*
	GMS 5.1.1*
	ViewPoint 6.0.2 SP2*
	ViewPoint 6.0 SP2*
	ViewPoint 6.0*
	ViewPoint 5.1.1*
Affected Versions Assumed	GMS 6.0 SP1*
	ViewPoint 6.0 SP1*
Unaffected Versions	
Affected Platforms Tested	1: x86-64 Microsoft Windows 2008 R2 FP(2012.06.25)
	2: Vendor-provided Virtual Appliance
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

## Vulnerability Test Matrix

	1	2
Analyzer 7.0		V
GMS 6.0.2 SP2	V	V
GMS 6.0.2	V	V
GMS 6.0 SP2	V	V
GMS 6.0	V	V
GMS 5.1.1	V	
ViewPoint 6.0.2 SP2	V	V
ViewPoint 6.0.2	V	V
ViewPoint 6.0 SP2	V	V
ViewPoint 6.0	V	V
ViewPoint 5.1.1	V	

 ${\sf Exploit} \ / \ {\sf Proof\text{-}of\text{-}Concept} \ {\sf Information}$ 

Supported Targets	Analyzer 7.0 on Virtual Appliance		
	GMS 6.x on Virtual Appliance		
	ViewPoint 6.x on x86-64 Microsoft Windows 2008 R2		
	FP(2012.06.25)		
	ViewPoint 6.x on Virtual Appliance		
Attack Vector	Remote Post-auth		
Exploitation Impact	Command Execution		
Exploitation Context	Webinterface Administrator		
Windows Integrity Level	None		

Exploitation Indicators	Single log entry indicating that the admin user could not be authen-	
	ticated.	
Prerequisites	The web interface must be acceesible to the attacker.	
Reliability Rating	Completely (100%)	
Development Status	Complete	
Development Phase	Instructional**	
Development Goal	Instructional**	
Exploit Features		

<sup>\*</sup> Hotfixes 90982, 104767, and 108886 can be applied to all versions noted, however none of these affect the vulnerability.

<sup>\*\*</sup> No exploit is required; the vulnerability can be leveraged using any standard web browser.

# Chapter 8

# Fulvio Ricciardi

"Fulvio Ricciardi[14] is the author of ZeroShell, a a Linux distribution for servers and embedded devices aimed at providing the main network services a LAN requires."

#### 8.1 ZeroShell

"Zeroshell[15] is a Linux distribution for servers and embedded devices aimed at providing the main network services a LAN requires. It is available in the form of Live CD or Compact Flash image and you can configure and administer it using your web browser."

#### VBI-13-014 ZeroShell Remote Privileged Command Execution

#### **VBI** Information

VBI Asset Type	Brokered	
VBI Asset Availability	Exclusive Purchase	
	Non-Exclusive Purchase	
	Monthly License	
Listing Date	2013-07-22	
Expiration Date		

#### Vulnerability Information

Target	ZeroShell	
Vulnerability Class	Logic Flaw	
Affected Versions Tested	2.0.RC2*	
Affected Versions Assumed	All	
Unaffected Versions		
Affected Platforms Tested	1: ZeroShell Linux Kernel 3.4.19-ZS	

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 37 of 120

Affected Platforms Assumed	All
Unaffected Platforms	
Reliability Rating	Completely (100%)

#### Vulnerability Test Matrix

	1
2.0.RC2	V

#### Exploit / Proof-of-Concept Information

Supported Targets	ZeroShell 2.0.RC2
Attack Vector	Remote
Exploitation Impact	Command Execution
Exploitation Context	root
Exploitation Indicators	
Prerequisites	Network connectivity to the target
Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	

<sup>\*</sup> Tested against Zeroshell VM (ZeroShell-2.0.RC2.iso) as provided by the vendor.

# Chapter 9

# Google

"Googles[16] mission: Organize the worlds information and make it universally accessible and useful.

Beginning in 1996, Stanford University graduate students Larry Page and Sergey Brin built a search engine called BackRub that used links to determine the importance of individual web pages. By 1998 they had formalized their work, creating the company you know today as Google.

Since then, Google has grown by leaps and bounds. From offering search in a single language we now offer dozens of products and servicesincluding various forms of advertising and web applications for all kinds of tasksin scores of languages. And starting from two computer science students in a university dorm room, we now have thousands of employees and offices around the world. "

#### 9.1 Android

"Android[17] is an open-source software stack for a wide range of mobile devices and a corresponding open-source project led by Google. Here you can find the information and source code you need to learn more about the Android platform. From there you can create custom variants of the Android software stack, port devices and accessories to the Android platform, and ensure your devices are compatible with the Android compatibility definition."

#### VBI-13-022 Google Android Local Application Permissions Evasion

#### **VBI** Information

VBI Asset Type	Brokered	
VBI Asset Availability	Exclusive Purchase	
	Non-Exclusive Purchase	
	Monthly License	
Listing Date	2013-10-28	
Expiration Date		

October 28, 2013 CONFIDENTIAL Page 39 of 120

## Vulnerability Information

Target	Google Android	
Vulnerability Class	Design Flaw	
Affected Versions Tested	2.3.7	
	2.3.6	
	2.2.2	
	2.2.1	
Affected Versions Assumed	2.x	
	1.6.x	
	1.5.x	
Unaffected Versions	4.x	
	3.x	
Affected Platforms Tested	1: Android SDK Emulator 22.0.1.0	
	2: Samsung Galaxy Y (GT-S5360)	
	3: HTC Tatoo	
	4: HTC Magic	
Affected Platforms Assumed		
Unaffected Platforms	Nexus 4	
Reliability Rating	Completely (100%)	

## Vulnerability Test Matrix

	1	2	3	4
4.3	N			
3.0	N	N	N	N
2.3.7	V		V	
2.3.6	V	V		
2.2.2	V			
2.2.1	V			V

#### Exploit / Proof-of-Concept Information

Supported Targets	1: 2.3.7 on Android SDK Emulator 22.0.1.0 2: 2.3.7 on HTC Tatoo 3: 2.3.6 on Android SDK Emulator 22.0.1.0 4: 2.3.6 on Samsung Galaxy Y (GT-S5360) 5: 2.2.2 on Android SDK Emulator 22.0.1.0 6: 2.2.1 on Android SDK Emulator 22.0.1.0 7: 2.2.1 on HTC Magic	
Attack Vector	Local	
Exploitation Impact	App Controls/Permissions Bypass*	
Exploitation Context	User	
Exploitation Indicators	Call in progress can be noticed	
	Outgoing call log registers calls	
	USSD/SS command results can be seen in a message	

#### VBI Vulnerabilities Portfolio

#### - continued from previous page.

Prerequisites	Code execution
Reliability Rating	All Targets: Completely (100%)
Exploit Failure Behavior	
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	Place call in background

 $<sup>^*</sup>$  App Controls/Permissions bypass allows unauthorized access to perform outgoing calls as well as USSD and SS commands. Manufacturer defined MMI or SIM control codes will not work.

# Chapter 10

# Juniper Networks

"At Juniper Networks[18], we are leading the charge to architecting the new network. At the heart of the new network is our promise to transform the economics and experience of networking for our customers. We offer a high-performance network infrastructure built on simplicity, security, openness, and scale. We are innovating in ways that empower our customers, our partners, and ultimately everyone in a connected world.

Our products and technologies run the worlds largest and most demanding networks today, enabling our customers to create value and accelerate business success within the new, rapidly changing global marketplace. Our customers include the top 130 global service providers, the Fortune Global 100, as well as hundreds of federal, state and local government agencies and higher education organizations throughout the world.

As a pure play, high-performance networking company, we offer a broad product portfolio that spans routing, switching, security, application acceleration, identity policy and control, and management designed to provide unmatched performance, greater choice, and true flexibility, while reducing overall total cost of ownership. In addition, through strong industry partnerships, Juniper Networks is fostering a broad ecosystem of innovation across the network."

#### Network Connect Server 10.1

"Network Connect Server is the Linux daemon software providing SSL VPN client connection services for connecting to Juniper's SA Series[19] devices."

#### **VBI-12-034** Juniper Network Connect Server Local Privilege Escalation

Vulnerability Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
•	Table continued on post page

October 28, 2013 CONFIDENTIAL Page 42 of 120

	- continued from previous page.
	Non-Exclusive Purchase
	Monthly License
Listing Date	2012.07.14
Vulnerability Class	Logic Flaw
Affected Versions Tested	7.2-0-Build20761
	7.0-0-Build16899
	7.0-0-Build16499
Affected Versions Assumed	7.1
Unaffected Versions	
Affected Platforms Tested	1: x86-32 Debian Linux 6.0.5
	2: x86-32 Debian Linux unstable(2012.07.14)
	3: x86-64 Debian Linux unstable(2012.07.14)
	4: x86-64 CentOS 6.2
Affected Platforms Assumed	All Linux*
Unaffected Platforms	Mac OS X
	Microsoft Windows
Reliability Rating	Completely (100%)

## Vulnerability Test Matrix

	1	2	3	4
7.2-0-Build20761	V	V	V	V
7.0-0-Build16899	V	V	V	V
7.0-0-Build16499	V	V	V	V

## Exploit / Proof-of-Concept Information

Supported Targets	7.2-0-Build20761 on x86-32 Debian Linux 6.0.5
	7.2-0-Build20761 on x86-32 Debian Linux unstable(2012.07.14)
	7.2-0-Build20761 on x86-64 Debian Linux unstable(2012.07.14)
	7.2-0-Build20761 on x86-64 CentOS 6.2
	7.0-0-Build16899 on x86-32 Debian Linux 6.0.5
	7.0-0-Build16899 on x86-32 Debian Linux unstable(2012.07.14)
	7.0-0-Build16899 on x86-64 Debian Linux unstable(2012.07.14)
	7.0-0-Build16899 on x86-64 CentOS 6.2
	7.0-0-Build16499 on x86-32 Debian Linux 6.0.5
	7.0-0-Build16499 on x86-32 Debian Linux unstable(2012.07.14)
	7.0-0-Build16499 on x86-64 Debian Linux unstable(2012.07.14)
	7.0-0-Build16499 on x86-64 CentOS 6.2
Attack Vector	Local
Exploitation Impact	Command Execution
Exploitation Context	root
Exploitation Indicators	Client log entries
Prerequisites	User privileges on the target system

	20.11.11.22 1.21.1 p. 21.22.2 p. 20.
	Target system must have target software "Juniper Network Connect"
	installed
Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	Cross-platform (Linux) without modification*

<sup>\*</sup> Due to the vulnerability being a logic flaw, underlying Linux distribution and architecture is irrelevant to triggering the vulnerability and exploitation.

# Chapter 11

# Kingsoft Office Software

"Kingsoft Office[20] is a software development company headquartered in Hong Kong, which focus on office software containing the three essential office applications: Kingsoft Writer, Kingsoft Presentation and Kingsoft Spreadsheets. Established in 1989, Kingsoft Office has devoted over two decades to the development of user-friendly office software. It has maintained a similar user interface to Microsoft Office meaning that new users require no retraining, and there is a high degree of compatibility between the two products.

The composition of our team is diverse and complete. Kingsoft Office's team is integrally formed by industry experts from various industries. This wide range of experience has been drawn upon to create a fully fledged, robust office suite.

Kingsoft Office is one of the earliest companies to engage in the research and development of word processors and other office applications, and was the market leader in the late 1980's and early 1990's. Today Kingsoft Office is viewed as an inexpensive alternative to Microsoft Office. And it has made relationship with Dell and collaborations with Intel and IBM, and will continue to do so in the future, in order to consistently provide innovative, high quality products and services.

Kingsoft Office Corporation future will be aimed at breaking into all over the world, now it has published four sets of office suite: Kingsoft Office Professional, Kingsoft Office Standard, Kingsoft Office Free and Kingsoft Office Student and Home. These four versions almost cover all target clients that could meet various requirements including professional and business, home and students, and common daily needs. Of course, it will make a sustained effort to develop more brilliant office software to attract much wider users.

Kingsoft Office is committed to offering best quality and user-friendly office software to further expand to international markets and become a first class office software developer."

## 11.1 Kingsoft Office

"As an office suite of desktop applications, Kingsoft Office[21] consists of a word processorWriter, a spreadsheet programSpreadsheets and a presentation programPresentation. Compared with other office suites, Kingsoft Office is regarded as one of the best office applications with user-friendly interfaces and

October 28, 2013 CONFIDENTIAL Page 45 of 120

#### excellent performance.

In addition to innovative features in the last version such as a built-in PDF creator, the latest version has added various new features, allowing you to switch between the 2013 and classical interfaces, adjust your paragraph formatting and table dimensions with drag and drop, save files as more formats (such as .docx, .docm, .xlsx and .xlsm) and insert a movie or background sound into a PPT slide. Kingsoft Office Suite Professional 2013 will not only enable you to fulfill data analyzing needs in business, but to turn your innovative ideas into illustrative documents or presentations."

#### VBI-13-016 Kingsoft Office Client-side Remote Code Execution

#### **VBI** Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2013-08-26
Expiration Date	

#### Vulnerability Information

Target	Kingsoft Office 2012
Vulnerability Class	Memory Corruption
Affected Versions Tested	8.1.0.3387
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x64 Microsoft Windows 7
	2: x32 Microsoft Windows 7
	3: x64 Microsoft Windows XP
	4: x32 Microsoft Windows XP
Affected Platforms Assumed	Microsoft Vista
Unaffected Platforms	
Reliability Rating	Completely (100%)

#### $VuInerability\ Test\ Matrix$

	1	2	3	4
8.1.0.3387	V	V	>	V

#### Exploit / Proof-of-Concept Information

Supported Targets	8.1.0.3387 on Microsoft Windows 7
	8.1.0.3387 on Microsoft Windows XP
Attack Vector	Client-side Remote

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 46 of 120

#### VBI Vulnerabilities Portfolio

## - continued from previous page.

Exploitation Impact	Code Execution
Exploitation Context	User
Windows Integrity Level	Medium
Exploitation Indicators	Process crash
Prerequisites	
Reliability Rating	Completely (100%)
Development Status	Complete*
Development Phase	Exploit
Development Goal	Professional Exploit
Exploit Features	ASLR handled

 $<sup>\</sup>ast$  Professional exploit(s) can be developed upon request.

# Chapter 12

# Korea Computer Center

"The Korea Computer Center (KCC)[22] is the leading North Korean government information technology research center. It was founded on October 24, 1990.

KCC operates eight development and production centers, and 11 regional information centers. It runs the KCC Information Technology College and its Information Technology Institute. The KCC has branch offices in China, Germany, Syria and the United Arab Emirates. It has an interest in Linux research, and started the development of the Red Star OS distribution localised for North Korea.

While KCCs main focus is on North Korean work, as of 2011 it also works for clients in Europe, China, South Korea, Japan and the Middle East."

#### 12.1 Red Star OS

"Red Star OS[23] is a North Korean Linux-based operating system. Development started in 2002 at the Korea Computer Center. Prior to its development, computers in North Korea typically used English versions of Microsoft Windows. As of 2010, it is on version 2.0. It is only offered in a Korean language edition, localised with North Korean terminology and spelling."

# VBI-12-008 Red Star OS Sat Privileged Remote and Client-Side Command Execution

#### Vulnerability Information

VBI Asset Type	Internal
Vulnerability Class	Input Validation
Affected Versions Tested	2.0
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32 Red Star OS 2.0

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 48 of 120

Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

#### Vulnerability Test Matrix

	1
2.0	V

#### Exploit / Proof-of-Concept Information

Supported Targets	Sat 2.0 on x86-32 Red Star OS 2.0
Attack Vector	Remote
	Client-Side via CSRF
Exploitation Impact	Command Execution
Exploitation Context	root
Exploitation Indicators	Log entries*
Prerequisites	Successful Authentication or Established Session
Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Metasploit Exploit
Development Goal	Metasploit Exploit
Exploit Features	HTTP request attack vector
	CSRF capable
	Trigger and payload is embeddable within HTML

<sup>\*</sup> Log entries in some cases based on attack vector.

## VBI-12-011 Red Star OS Local Privilege Escalation

#### Vulnerability Information

VBI Asset Type	Internal
Vulnerability Class	Misconfiguration
Affected Versions Tested	2.0
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

Vulnerability Test Matrix

	1
2.0	V

#### Exploit / Proof-of-Concept Information

Supported Targets	x86-32 Red Star OS 2.0
Attack Vector	Local (Passive)
Exploitation Impact	Privilege Escalation
Exploitation Context	root
Exploitation Indicators	none
Prerequisites	Local Command Execution
Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	Replacement of system command

## VBI-12-012 Red Star OS Local Privilege Escalation

#### Vulnerability Information

VBI Asset Type	Internal
Vulnerability Class	Misconfiguration
Affected Versions Tested	2.0
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

#### Vulnerability Test Matrix

	1
2.0	V

## Exploit / Proof-of-Concept Information

Supported Targets	x86-32 Red Star OS 2.0
Attack Vector	Local
Exploitation Impact	Privilege Escalation
Exploitation Context	root
Exploitation Indicators	System Reboot*
Prerequisites	Local Command Execution

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 50 of 120

Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	Replacement of critical library

<sup>\*</sup> An attacker initiated system reboot is required in the case of active exploitation; however it is possible for unprivileged users to reboot the system by default. Passive exploitation may also be employed which does not require a system reboot.

# VBI-12-013 Red Star OS Local Privilege Escalation

#### Vulnerability Information

VBI Asset Type	Internal
Vulnerability Class	Misconfiguration
Affected Versions Tested	2.0
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

#### Vulnerability Test Matrix

	1
2.0	V

#### Exploit / Proof-of-Concept Information

Supported Targets	x86-32 Red Star OS 2.0
Attack Vector	Local (Passive)
Exploitation Impact	Privilege Escalation (Code Execution)
Exploitation Context	root
Exploitation Indicators	none
Prerequisites	Local Command Execution
Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	Replacement of critical application library

## VBI-12-014 Red Star OS Local Privilege Escalation

#### Vulnerability Information

VBI Asset Type	Internal
Vulnerability Class	Misconfiguration
Affected Versions Tested	2.0
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

#### Vulnerability Test Matrix

	1
2.0	V

#### Exploit / Proof-of-Concept Information

Supported Targets	x86-32 Red Star OS 2.0
Attack Vector	Local
Exploitation Impact	Privilege Escalation (Code Execution)
Exploitation Context	root
Exploitation Indicators	System Reboot*
Prerequisites	Local Command Execution
	Ability to reboot system*
Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	Replacement of critical system commands

<sup>\*</sup> An attacker initiated system reboot is required in the case of active exploitation; however it is possible for unprivileged users to reboot the system by default. Passive exploitation may also be employed which will trigger the payload upon the next and subsequent regularly-scheduled system reboots.

#### VBI-12-015 Red Star OS Local Privilege Escalation

#### Vulnerability Information

VBI Asset Type	Internal
Vulnerability Class	Misconfiguration

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 52 of 120

Affected Versions Tested	2.0
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

#### Vulnerability Test Matrix

	1
2.0	V

#### Exploit / Proof-of-Concept Information

Supported Targets	x86-32 Red Star OS 2.0
Attack Vector	Local (Passive)
Exploitation Impact	Privilege Escalation
Exploitation Context	root
Exploitation Indicators	none
Prerequisites	Local Command Execution
Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	Replacement of system command

## VBI-12-016 Red Star OS Local Privilege Escalation

#### Vulnerability Information

VBI Asset Type	Internal
Vulnerability Class	Misconfiguration
Affected Versions Tested	2.0
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

Vulnerability Test Matrix

	1
2.0	V

#### Exploit / Proof-of-Concept Information

Supported Targets	x86-32 Red Star OS 2.0
Attack Vector	Local (Passive)
Exploitation Impact	Privilege Escalation
Exploitation Context	root
Exploitation Indicators	none
Prerequisites	Local Command Execution
Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	Replacement of critical system command

## VBI-12-017 Red Star OS Local Privilege Escalation

#### Vulnerability Information

VBI Asset Type	Internal
Vulnerability Class	Misconfiguration
Affected Versions Tested	2.0
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

#### Vulnerability Test Matrix

	1
2.0	V

## Exploit / Proof-of-Concept Information

Supported Targets	x86-32 Red Star OS 2.0
Attack Vector	Local (Passive)
Exploitation Impact	Privilege Escalation
Exploitation Context	root
Exploitation Indicators	none
Prerequisites	Local Command Execution

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 54 of 120

Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	Replacement of critical system command

#### VBI-12-018 Red Star OS Local Privilege Escalation

#### Vulnerability Information

VBI Asset Type	Internal
Vulnerability Class	Misconfiguration
Affected Versions Tested	2.0
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

#### Vulnerability Test Matrix

	1
2.0	V

#### Exploit / Proof-of-Concept Information

Supported Targets	x86-32 Red Star OS 2.0
Attack Vector	Local (Passive)
Exploitation Impact	Privilege Escalation
Exploitation Context	root
Exploitation Indicators	none
Prerequisites	Local Command Execution
Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	Replacement of critical system command

## VBI-12-019 Red Star OS Local Privilege Escalation

Vulnerability Information

VBI Asset Type	Internal
Vulnerability Class	Misconfiguration
Affected Versions Tested	2.0
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

## Vulnerability Test Matrix

	1
2.0	V

#### Exploit / Proof-of-Concept Information

Supported Targets	x86-32 Red Star OS 2.0
Attack Vector	Local (Passive)
Exploitation Impact	Privilege Escalation
Exploitation Context	root
Exploitation Indicators	none
Prerequisites	Local Command Execution
Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	Replacement of system command

## VBI-12-020 Red Star OS Local Privilege Escalation

#### Vulnerability Information

VBI Asset Type	Internal
Vulnerability Class	Misconfiguration
Affected Versions Tested	2.0
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

October 28, 2013 CONFIDENTIAL Page 56 of 120

#### Vulnerability Test Matrix

	1
2.0	V

Exploit / Proof-of-Concept Information

Supported Targets	x86-32 Red Star OS 2.0
Attack Vector	Local
Exploitation Impact	Privilege Escalation (Code Execution)
Exploitation Context	root
Exploitation Indicators	System Reboot*
Prerequisites	Local Command Execution
	Ability to reboot system*
Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	Replacement of critical system command

<sup>\*</sup> An attacker initiated system reboot is required in the case of active exploitation; however it is possible for unprivileged users to reboot the system by default. Passive exploitation may also be employed which does not require a system reboot.

## VBI-12-021 Red Star OS Local Privilege Escalation

#### Vulnerability Information

VBI Asset Type	Internal
Vulnerability Class	Misconfiguration
Affected Versions Tested	2.0
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

#### Vulnerability Test Matrix

	1
2.0	V

Exploit / Proof-of-Concept Information

October 28, 2013 CONFIDENTIAL Page 57 of 120

Supported Targets	x86-32 Red Star OS 2.0
Attack Vector	Local (Passive)
Exploitation Impact	Privilege Escalation
Exploitation Context	root
Exploitation Indicators	none
Prerequisites	Local Command Execution
Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	Replacement of system command

## VBI-12-022 Red Star OS Local Privilege Escalation

#### Vulnerability Information

VBI Asset Type	Internal
Vulnerability Class	Misconfiguration
Affected Versions Tested	2.0
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

## Vulnerability Test Matrix

	1
2.0	V

#### Exploit / Proof-of-Concept Information

Supported Targets	x86-32 Red Star OS 2.0
Attack Vector	Local (Passive)
Exploitation Impact	Privilege Escalation (Command Execution)
Exploitation Context	root
Exploitation Indicators	none
Prerequisites	Local Command Execution
Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	Replacement of critical system command

October 28, 2013 CONFIDENTIAL Page 58 of 120

## VBI-12-023 Red Star OS Local Privilege Escalation

#### Vulnerability Information

VBI Asset Type	Internal
Vulnerability Class	Misconfiguration
Affected Versions Tested	2.0
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

#### Vulnerability Test Matrix

	1
2.0	V

#### Exploit / Proof-of-Concept Information

Supported Targets	x86-32 Red Star OS 2.0
Attack Vector	Local
Exploitation Impact	Privilege Escalation (Code Execution)
Exploitation Context	root
Exploitation Indicators	System Reboot*
Prerequisites	Local Command Execution
	Ability to reboot system*
Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	Replacement of critical system command

<sup>\*</sup> An attacker initiated system reboot is required in the case of active exploitation; however it is possible for unprivileged users to reboot the system by default. Passive exploitation may also be employed which will trigger the payload upon the next and subsequent regularly-scheduled system reboots.

#### VBI-12-024 Red Star OS Local System Reboot Privilege Escalation

#### Vulnerability Information

VBI Asset Type	Internal
Vulnerability Class	Misconfiguration

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 59 of 120

Affected Versions Tested	2.0
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

#### Vulnerability Test Matrix

	1
2.0	V

#### Exploit / Proof-of-Concept Information

Supported Targets	x86-32 Red Star OS 2.0
Attack Vector	Local
Exploitation Impact	Privilege Escalation*
Exploitation Context	root
Exploitation Indicators	System Reboot
Prerequisites	Local Command Execution
Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	Reboot via non-system command

<sup>\*</sup> The privilege escalation performed via this vulnerability only allows for execution of a system reboot without root privileges.

# Chapter 13

# McAfee, Inc.

"McAfee for Consumers[24] delivers world-class retail and online solutions designed to secure, protect, and optimize the computers of consumers and home office users.

McAfee's advanced retail desktop solutions include premier anti-virus, security, encryption, and desktop optimization software. McAfee's managed Web security services employ a patented system and process of delivering software through an Internet browser to provide these services to users online through its Web site, home.mcafee.com. This Web site is one of the largest paid subscription sites on the Internet with over two million active paid subscribers.

With headquarters in Santa Clara, California, McAfee, Inc., is a leading supplier of network security and availability solutions. McAfee creates best-of-breed computer security solutions that prevent intrusions on networks and protect computer systems from the next generation of blended attacks and threats. More information on McAfee is available at www.mcafee.com.

All McAfee products are backed with the respected anti-virus research organization such as McAfee AVERT, which protects McAfee customers against the latest and most complex virus attacks. Quick Facts"

## 13.1 ePolicy Orchestrator

"McAfee ePolicy Orchestrator (McAfee ePO)[25] is the most advanced, extensible, and scalable centralized security management software in the industry. Unifying security management through an open platform, McAfee ePO makes risk and compliance management simpler and more successful for organizations of all sizes. As the foundation of McAfee Security Management Platform, McAfee ePO enables customers to connect industry-leading security solutions to their enterprise infrastructure to increase visibility, gain efficiencies, and strengthen protection. And now with Real Time for McAfee ePO, administrators can see critical product details in seconds and remediate security issues directly on endpoints as events are happening.

Customers use McAfee ePOs flexible automation capabilities to streamline workflows, dramatically reducing the cost and complexity of security and compliance administration.

October 28, 2013 CONFIDENTIAL Page 61 of 120

Security providers and system integrators can extend the reach of their offerings by incorporating their expertise and best practices with the McAfee ePO platform to deliver differentiated solutions."

# VBI-13-019 McAfee ePolicy Orchestrator Privileged Remote Code Execution

#### **VBI** Information

VBI Asset Type	Internal
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2013-09-23
Expiration Date	

#### Vulnerability Information

Target	McAfee ePolicy Orchestrator
Vulnerability Class	Input Validation
Affected Versions Tested	5.0.1
	5.0.0
Affected Versions Assumed	
Unaffected Versions	4.6.5
Affected Platforms Tested	1: Microsoft Windows Server 2012
	2: Microsoft Windows Server 2008 R2
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

#### Vulnerability Test Matrix

	1	2
5.0.1	V	V
5.0.0	V	V

#### Exploit / Proof-of-Concept Information

Supported Targets	1: 5.0.1 on Microsoft Windows Server 2012
	2: 5.0.1 on Microsoft Windows Server 2012
	3: 5.0.0 on Microsoft Windows Server 2008 R2
	4: 5.0.0 on Microsoft Windows Server 2008 R2
Attack Vector	Remote
Exploitation Impact	Code Execution
Exploitation Context	NT-Authority\system

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 62 of 120

Windows Integrity Level	System		
Exploitation Indicators	Exploit stager script stored temporarily on the target system		
	Log entries in database and web server log files		
Prerequisites			
Reliability Rating	Target 1: Completely (100%)		
	Target 2: Completely (100%)		
	Target 3: Completely (100%)		
	Target 4: Completely (100%)		
Exploit Failure Behavior			
Development Status	Complete		
Development Phase	Professional Exploit: Metasploit Exploit Module		
	Post-exploitation Client Compromise Instructional		
	Database user password decryption tool		
Development Goal	Professional Exploit: Metasploit Exploit Module		
	Post-exploitation Client Compromise Instructional		
	Database user password decryption tool		
Exploit Features	Post-exploitation cleanup (removal of stager)		
	Vulnerability can be further leveraged to deliver a privileged payload		
	to all systems executing the ePolicy Agent software which are man-		
	aged by the ePolicy server, effectively allowing the compromise of an		
	entire enterprise.*		

 $<sup>^{*}</sup>$  Metasploit post-exploitation module can be developed upon request to implement Agent systems compromise.

# Chapter 14

# Microsoft Corporation

"At Microsoft[26], we're motivated and inspired every day by how our customers use our software to find creative solutions to business problems, develop breakthrough ideas, and stay connected to what's most important to them.

We run our business in much the same way, and believe our five business divisions offer the greatest potential to serve our customers. They are:

- Windows Windows Live Division: Includes the Windows product family and is responsible for our relationships with personal computer manufacturers as well as online software and services through Windows Live.
- Server and Tools: Software server products, services and solutions, including: Windows Server operating system, Microsoft SQL Server, Visual Studio, Silverlight, System Center products, Forefront security products, Biz Talk Server, and Microsoft Consulting Services.
- Online Services Division: Consists of an online advertising platform with offerings for publishers and advertisers, and online information offerings such as Bing and the MSN portals and channels.
- Microsoft Business Division: Includes the Microsoft Office suites, desktop programs, servers, and services and solutions; Microsoft Dynamics; and Unified Communications business solutions.
- Entertainment and Devices Division: Consists of the Xbox video game system, including consoles and accessories, Xbox Live operations, Zune digital music and entertainment device; Mediaroom, mobile and embedded device platforms, Surface computing platform, and Windows Automotive.

We are committed long term to the mission of helping our customers realize their full potential. Just as we constantly update and improve our products, we want to continually evolve our company to be in the best position to accelerate new technologies as they emerge and to better serve our customers."

October 28, 2013 CONFIDENTIAL Page 64 of 120

## 14.1 Internet Explorer

"Fast, safe, and easy. Internet Explorer[27] takes the web experience beyond the page for quicker and more reliable browsing with peace of mind."

## VBI-12-026 Internet Explorer 8 Remote Code Execution

#### Vulnerability Information

VBI Asset Type	Brokered
Listing Date	2012.05.17
Vulnerability Class	Memory Corruption
Affected Versions Tested	8.0.7601.17514
	8.0.6001.18702*
Affected Versions Assumed	
Unaffected Versions	9
	7
	6
Affected Platforms Tested	1: Microsoft Windows 7 SP1 FP(2012.05.17)
	2: Microsoft Windows Vista SP2 FP(2012.05.17)
	3: Microsoft Windows XP SP3 FP(2012.05.17)
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

#### Vulnerability Test Matrix

	1	2	3
8.0.7601.17514	V	V	V
8.0.6001.18702	V	V	V

Exploit / Proof-of-Concept Information

Supported Targets	8 on Microsoft Windows 7 SP1 FP	
	8 on Microsoft Windows Vista SP2 FP	
	8 on Microsoft Windows XP SP3 FP	
Attack Vector	Remote	
Exploitation Impact	Code Execution	
Exploitation Context	User	
Windows Integrity Level	Low	
Exploitation Indicators	Execution of payload	
Prerequisites	Javascript	
Reliability Rating	High (95%)**	
Development Status	In Development	

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 65 of 120

Development Phase	Proof-of-Concept***
Development Goal	Exploit
Exploit Features	Process continuation****

- \* With different patches: From never updated to fully updated (passing by updated to 2011, Jan).
- \*\* The provided exploit may not work well against systems with low mememory, as a large heap spray is required in order to achieve exploitation. Systems with low memory may not have the required large address space to spray.
- \*\*\* Proof-of-Concept currently requires DEP to be disabled on the ASLR-based target platforms.
- \*\*\*\* Process continuation improved on target platforms with DEP turned on.

# VBI-13-009 Microsoft Internet Explorer Client-side Remote Code Execution

#### **VBI** Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2013.05.07
Expiration Date	

#### Vulnerability Information

Target	Microsoft Internet Explorer
Vulnerability Class	Memory Corruption
Affected Versions Tested	9.0.16 (9.0.8112.16421)
	9.0.15 (9.0.8112.16421)
	9.0.14 (9.0.8112.16421)
	9.0.13 (9.0.8112.16421)
	9.0.12 (9.0.8112.16421)
	9.0.10 (9.0.8112.16421)
	9.0.9 (9.0.8112.16421)
	9.0.7 (9.0.8112.16421)
	9.0.6 (9.0.8112.16421)
	8.00.7601.18106 (8.0.7601.17514)*
	8.00.7601.18094 (8.0.7601.17514)*
	8.00.7601.18035 (8.0.7601.17514)*
	8.00.7601.17940 (8.0.7601.17514)*
	8.00.7601.17874 (8.0.7601.17514)*
	8.00.7601.17824 (8.0.7601.17514)*

	continued from previous page.
	8.00.7601.17785 (8.0.7601.17514)*
	,
Affected Versions Assumed	9.x
	8.x
	0
Unaffected Versions	10.x
Affected Platforms Tested	1: x86-64 Microsoft Windows 7 SP1**
	2: x86-32 Microsoft Windows 7 SP1
	3: x86-32 Microsoft Windows XP SP3
Affected Platforms Assumed	Microsoft Windows 7 SP0***
Unaffected Platforms	
Reliability Rating	Completely (100%)

## Vulnerability Test Matrix

	1	2	3
9.0.16	V	V	
9.0.15	V	V	
9.0.14	V	V	
9.0.13	V	V	
9.0.12	V	V	
9.0.10	V	V	
9.0.9	V	V	
9.0.7	V	V	
9.0.6	V	V	
8.00.7601.18106	V	V	V
8.00.7601.18094	V	V	
8.00.7601.18035	V	V	
8.00.7601.17940	V	V	
8.00.7601.17874	V	V	
8.00.7601.17824	V	V	
8.00.7601.17785	V	V	

 ${\sf Exploit} \ / \ {\sf Proof\text{-}of\text{-}Concept} \ {\sf Information}$ 

Supported Targets	9.0.16 on Microsoft Windows 7 SP1
	9.0.15 on Microsoft Windows 7 SP1
	9.0.14 on Microsoft Windows 7 SP1
	9.0.13 on Microsoft Windows 7 SP1
	9.0.12 on Microsoft Windows 7 SP1
	9.0.10 on Microsoft Windows 7 SP1
	9.0.9 on Microsoft Windows 7 SP1
	9.0.7 on Microsoft Windows 7 SP1
	9.0.6 on Microsoft Windows 7 SP1
	8.00.7601.18106 on Microsoft Windows 7 SP1
	8.00.7601.18106 on x86-32 Microsoft Windows XP SP3
1	

	<ul> <li>continued from previous page.</li> </ul>
	8.00.7601.18094 on Microsoft Windows 7 SP1
	8.00.7601.18035 on Microsoft Windows 7 SP1
	8.00.7601.17940 on Microsoft Windows 7 SP1
	8.00.7601.17874 on Microsoft Windows 7 SP1
	8.00.7601.17824 on Microsoft Windows 7 SP1
	8.00.7601.17785 on Microsoft Windows 7 SP1
Attack Vector	Client-side Remote
Exploitation Impact	Code Execution
Exploitation Context	Windows 7: User
·	Windows XP: Admin
Windows Integrity Level	Windows 7: Low
Exploitation Indicators	
Prerequisites	Javascript
Reliability Rating	High (>90%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	Handles ASLR dynamically via version detection
	Avoids DEP
	Target platform agnostic
	Process continuation
	Post-exploitation process cleanup
	No shellcode character or size limitations
	Full error condition handling with clean exits

<sup>\*</sup> Internet Explorer 8 uses the same version string across all patchlevels (8.0.7601.17514 update version 0) so version is identified by mshtml-version string.

#### 14.2 Microsoft Office

"Microsoft Office [28] is the essential software suite for homes and small businesses that enables you to quickly and easily create great-looking documents, spreadsheets, and presentations, and manage e-mail."

#### VBI-12-035 Microsoft Office Client-Side Remote Code Execution

Vulnerability Information

VBI Asset Type	Brokered	
		Table continued on next page

October 28, 2013 CONFIDENTIAL Page 68 of 120

<sup>\*\*</sup> Internet Explorer processes tested on x86-64 Microsoft Windows 7 were WOW64 processes; True 64-bit target processes are not supported.

<sup>\*\*\*</sup> The exploit for this vulnerability is independent of platform patchlevel and should work across all service packs and patchlevels of the indicated platforms.

VBI Asset Availability	Non-Exclusive Purchase
	Monthly License
Listing Date	2012.07.23
Expiration Date	
Vulnerability Class	Design Flaw
Affected Versions Tested	Word 2007 SP2 FP(2012.07.17)
	Excel 2007 SP2 FP(2012.07.17)
	Powerpoint 2007 SP2 FP(2012.07.17)
Affected Versions Assumed	
Unaffected Versions	2013
	2010
	2003
Affected Platforms Tested	1: x86-32 Microsoft Windows 2003 SP2
	2: x86-32 Microsoft Windows XP SP3
Affected Platforms Assumed	Microsoft Windows 2003
	Microsoft Windows XP
Unaffected Platforms	Microsoft Windows Server 2012
	Microsoft Windows Server 2008 R2
	Microsoft Windows Server 2008
	Microsoft Windows 8 Release Preview
	Microsoft Windows 7
	Microsoft Windows Vista
Reliability Rating	Completely (100%)

## Vulnerability Test Matrix\*

	1	2
Word 2007	V	V
Excel 2007	V	V
Powerpoint 2007	V	V

#### Exploit / Proof-of-Concept Information

Supported Targets	Word 2007 SP2 FP(2012.07.17) on x86-32 Microsoft Windows 2003
	SP2
	Word 2007 SP2 FP(2012.07.17) on x86-32 Microsoft Windows XP
	SP3
	Excel 2007 SP2 FP(2012.07.17) on x86-32 Microsoft Windows 2003
	SP2
	Excel 2007 SP2 FP(2012.07.17) on x86-32 Microsoft Windows XP
	SP3
	Powerpoint 2007 SP2 FP(2012.07.17) on x86-32 Microsoft Windows
	2003 SP2
	Powerpoint 2007 SP2 FP(2012.07.17) on x86-32 Microsoft Windows
	XP SP3

Attack Vector	Client-Side
Exploitation Impact	Code Execution
Exploitation Context	User
Windows Integrity Level	
Exploitation Indicators	
Prerequisites	
Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	

<sup>\*</sup> Vulnerability testing involves two scenarios; double-clicking on the malicious file and opening the malicious file through the "Open File" menu within the application. Word and Powerpoint versions are vulnerable to the former while Excel is vulnerable to the latter.

#### 14.3 Windows

"The Windows product family[29] comprises Microsoft's flagship operating system."

# VBI-10-019 Windows Core Component Client-Side Remote Code Execution

#### Vulnerability Information

VBI Asset Type	Brokered
Affected Platforms Tested	Internet Explorer 6 on 32-bit x86 Microsoft Windows XP
Affected Platforms Assumed	
Unaffected Platforms	
Affected Versions Tested	SP3
Affected Versions Assumed	SP0-SP2
Unaffected Versions	
Reliability Rating	Completely (100%)

Exploit / Proof-of-Concept Information

Supported Platforms	Internet Explorer 6 on 32-bit x86 Microsoft Windows XP
Supported Versions	SP3
Attack Vector	Client-Side
Exploitation Impact	Code Execution

Exploitation Context	User
Exploitation Indicators	
Prerequisites	Internet Explorer
Reliability Rating	Partial (50%)
Development Status	Multiple Proof-of-Concepts and one Exploit*
Development Phase	Active
Development Goal	Reliable Exploit

<sup>\*</sup> The multiple Proof-of-Concepts provided with this vulnerability's materials demonstrate multiple vectors available to trigger the vulnerability. The Exploit provided uses one of these vectors to achieve code execution, although execution is currently only partially reliable.

#### VBI-12-002 Microsoft Windows XP Kernel Local Privilege Escalation

#### Vulnerability Information

VBI Asset Type	Brokered
Vulnerability Class	Memory Corruption
Affected Versions Tested	XP SP0-SP3
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32
Affected Platforms Assumed	
Unaffected Platforms	x86-64
Reliability Rating	Completely (100%)

#### Vulnerability Test Matrix

	1
XP SP0-SP3	V

#### Exploit / Proof-of-Concept Information

Supported Targets	x86-32 Microsoft Windows XP SP0-SP3
Attack Vector	Local
Exploitation Impact	Privilege Escalation
Exploitation Context	SYSTEM
Windows Integrity Level	n/a
Exploitation Indicators	
Prerequisites	
Reliability Rating	Completely (100%)
Development Status	Active
Development Phase	Debugging

Development Goal	Exploit
Exploit Features	

## VBI-12-003 Microsoft Windows Local Privilege Escalation

### Vulnerability Information

VBI Asset Type	Brokered
VBI Asset Availability	Non-exclusive Sale
	Monthly License
Vulnerability Class	Design Flaw
Affected Versions Tested	XP SP0-SP3 (FP 2013.01.14)
	2003 SP0-SP2 (FP 2013.01.14)
Affected Versions Assumed	
Unaffected Versions	Vista
	Windows 7
	2008
Affected Platforms Tested	1: x86-32
	2: x86-64
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

### Vulnerability Test Matrix

	1	2
XP SP0-SP3	V	V
2003 SP0-SP2	V	V

### Exploit / Proof-of-Concept Information

Supported Targets	x86-32 Windows XP SP0-SP3 (FP 2013.01.14)
	x86-64 Windows XP SP0-SP3 (FP 2013.01.14)
	x86-32 Windows 2003 SP0-SP2 (FP 2013.01.14)
	x86-64 Windows 2003 SP0-SP2 (FP 2013.01.14)
Attack Vector	Local
Exploitation Impact	Code Execution
	Command Execution
Exploitation Context	Ring0 (code execution)
	NT AUTHORITY\SYSTEM (command execution)
Windows Integrity Level	
Exploitation Indicators	
Prerequisites	
Reliability Rating	Completely (100%)

Development Status	Complete	
Development Phase	Exploit	
	Metasploit post-exploitation module	
Development Goal	Exploit	
	Metasploit post-exploitation module	
Exploit Features	Automatic Architecture/OS detection and target selection at run-	
	time	
	Allows execution of an arbitrary command such as cmd.exe	
	Metasploit post-exploitaion module version can be executed from	
	Meterpreter to elevate privileges	
	Ring0 shellcode that replaces the token of the process of your choice	
	with an NT AUTHORITY\SYSTEM token	

## VBI-12-004 Microsoft Windows Local Protection Bypass

### Vulnerability Information

VBI Asset Type	Brokered
Vulnerability Class	Input Validation
Affected Versions Tested	Vista SP0-SP2
	7 SP0-SP1
	Server 2008
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32
Affected Platforms Assumed	
Unaffected Platforms	x86-64
Reliability Rating	Completely (100%)

### Vulnerability Test Matrix

	1
Vista SP0-SP2	V
7 SP0-SP1	V
Server 2008	V

## Exploit / Proof-of-Concept Information

Supported Targets	x86-32 Microsoft Windows Vista SP0-SP2	
	x86-32 Microsoft Windows 7 SP0-SP1	
	x86-32 Microsoft Windows Server 2008	
Attack Vector	Local	
Exploitation Impact	Protection Bypass*	
Exploitation Context	SYSTEM	

Windows Integrity Level	High
Exploitation Indicators	Exploit Executable Present**
Prerequisites	Administrator Access
Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	

<sup>\*</sup> Bypass provides Administrator to Ring0 access.

## VBI-13-013 Microsoft Windows Kernel Local Privilege Escalation

### **VBI** Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2013.06.22
Expiration Date	

### Vulnerability Information

Target	Microsoft Windows Kernel
Vulnerability Class	Memory Corruption
Affected Versions Tested	8 SP0 (FP:2013-08-10)
	7 SP1 (FP:2013-08-10)
	Vista SP2 (FP:2013-08-10)
	XP SP3 (FP:2013-08-10)
	Server 2012
	Server 2008 SP1
	Server 2008 SP2
	Server 2008 R2
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-64
	2: x86-32
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

<sup>\*\*</sup> Post-exploitation cleanup can be added at Customer's request.

## Vulnerability Test Matrix

	1	2
8 SP0	V	V
7 SP1	V	V
Vista SP2	V	V
XP SP3		V
Server 2012	V	V
Server 2008 SP1	V	V
Server 2008 SP2	V	V
Server 2008 R2	V	V

Exploit / Proof-of-Concept Information

Supported Targets*	x86-32 Microsoft Windows 8
	x86-64 Microsoft Windows 7 SP1
	x86-32 Microsoft Windows 7 SP1
	x86-64 Microsoft Windows Vista SP2
	x86-32 Microsoft Windows Vista SP2
	x86-64 Microsoft Windows Server 2008 SP2
	x86-32 Microsoft Windows Server 2008 SP2
Attack Vector	Local
Exploitation Impact	Code Execution
Exploitation Context	SYSTEM
Windows Integrity Level	High
Exploitation Indicators	Denial of service (BSOD) on exploitation failure of single-core targets
Prerequisites	, , , , , , , , , , , , , , , , , , , ,
Reliability Rating	x86-32 Microsoft Windows 8 SP0: Complete (100%)**
	x86-64 Microsoft Windows 7 SP1 Professional: Complete (100%)**
	x86-64 Microsoft Windows 7 SP1 Ultimate: Complete (100%)**
	x86-32 Microsoft Windows 7 SP1 Professional: Very High
	(99.93%)**
	x86-32 Microsoft Windows 7 SP1 Ultimate: Very High (99.79%)**
	x86-64 Microsoft Windows Vista SP2 Starter: Complete (100%)**
	x86-64 Microsoft Windows Vista SP2 Home Basic: Very High
	(99.89%)**
	x86-64 Microsoft Windows Vista SP2 Home Premium: Very High
	(99.75%)**
	x86-64 Microsoft Windows Vista SP2 Business: Complete (100%)**
	x86-64 Microsoft Windows Vista SP2 Ultimate: Complete (100%)**
	x86-32 Microsoft Windows Vista SP2 Starter: Complete (100%)**
	x86-32 Microsoft Windows Vista SP2 Home Basic: Complete
	(100%)**
	x86-32 Microsoft Windows Vista SP2 Home Premium: Very High
	(99.85%)**
	x86-32 Microsoft Windows Vista SP2 Business: Very High
	(99.85%)**

	– continued from previous page. x86-32 Microsoft Windows Vista SP2 Ultimate: Complete (100%)**
	x86-64 Microsoft Windows Server 2008 SP2 Standard: Complete (100%)**
	x86-64 Microsoft Windows Server 2008 SP2 Enterprise: Complete (100%)**
	x86-64 Microsoft Windows Server 2008 SP2 Datacenter: Very High (99.72%)**
	x86-32 Microsoft Windows Server 2008 SP2 Standard: Complete (100%)**
	x86-32 Microsoft Windows Server 2008 SP2 Enterprise: Very High (99.95%)**
	x86-32 Microsoft Windows Server 2008 SP2 Datacenter: Compete (100%)**
Development Status	Active
Development Phase	Exploit
Development Goal	Exploit with 95% reliability or better
Exploit Features	Process continuation

<sup>\*</sup> Exploit support for other Affected Versions (8, XP SP3) available upon request.

## VBI-13-020 Microsoft Windows Kernel Local Privilege Escalation

### **VBI** Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2013-10-14
Expiration Date	

### Vulnerability Information

Target	Microsoft Windows Kernel
Vulnerability Class	Logic Flaw
Affected Versions Tested	8.1 SP0 FP(2013-10-10)*
	7 SP1 FP(2013-10-10)
Affected Versions Assumed	Vista
Unaffected Versions	XP and older
Affected Platforms Tested	1: x86-32*
Affected Platforms Assumed	x86-64

<sup>\*\*</sup> The exploitation method uses a memory spray type technique. As with all such techniques there is a margin for error resulting in less than 100% reliability.

Unaffected Platforms	
Reliability Rating	Completely (100%)

### Vulnerability Test Matrix

	1
8.1 SP0 FP(2013.10.10)	V
7 SP1 FP(2013.10.10)	V

Exploit / Proof-of-Concept Information

Supported Targets	1: x86-32 Microsoft Windows 7 SP1 FP(2013-10-10)
Attack Vector	Local
Exploitation Impact	Privilege Escalation
Exploitation Context	SYSTEM
Windows Integrity Level	System
Exploitation Indicators	Minor memory leak
Prerequisites	
Reliability Rating	Target 1: Completely (100%)
Exploit Failure Behavior	
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	

<sup>\*</sup> While the vulnerability is present in Windows 8 and  $\times 86-64$  Windows 7, the vulnerability is only exploitable on  $\times 86-32$  versions of Windows prior to Windows 8 due to NULL pointer dereference exploitation mitigation introduced in Windows 8 which was back-ported to  $\times 86-64$  Windows 7.

# Mozilla Corporation

"What is Mozilla?[30]?

Were a global community of thousands who sincerely believe in the power of technology to enrich peoples lives.

Were a public benefit organization dedicated not to making money but to improving the way people everywhere experience the Internet.

And were an open source software project whose code has been used as a platform for some of the Internets most innovative projects. "

### 15.1 Firefox

"The Firefox[31] browser is created by Mozilla, a non-profit organization whose mission is to promote openness, innovation and opportunity on the Web."

### VBI-13-012 Mozilla Firefox Client-side Remote Code Execution

#### **VBI** Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2013-06-22
Expiration Date	

Vulnerability Information

October 28, 2013 CONFIDENTIAL Page 78 of 120

Target	Mozilla Firefox
Vulnerability Class	Memory Corruption
Affected Versions Tested	24.0
	23.0.1
	22.0
	21.0
	20.0.1
	20.0
	19.0.2*
	19.0.1*
	19.0
	17.0.7 ESR*
	17.0.6 ESR*
	4.0
Affected Versions Assumed	4.x - 20.x
Unaffected Versions	
Affected Platforms Tested	1: x64 Microsoft Windows 7 SP1 (FP:2013-06-22)**
	2: x32 Microsoft Windows 7 SP1 (FP:2013-06-22)
Affected Platforms Assumed	All Microsoft Windows***
	All Linux***
	All Mac OS X***
Unaffected Platforms	
Reliability Rating	Completely (100%)

# Vulnerability Test Matrix

	1	2
	1	
24.0	V	V
23.0.1	V	V
22.0	V	V
21.0	V	V
20.0.1	V	V
20.0	V	V
19.0.2	V	V
19.0.1	V	V
19.0	V	V
17.0.7 ESR	V	V
17.0.6 ESR	V	V
4.0	V	V

 ${\sf Exploit} \ / \ {\sf Proof\text{-}of\text{-}Concept} \ {\sf Information}$ 

Supported Targets	24.0 on x64 Microsoft Windows 7 SP1
	24.0 on x32 Microsoft Windows 7 XP1
	23.0.1 on x64 Microsoft Windows 7 SP1
	Table continued on next page

October 28, 2013 CONFIDENTIAL Page 79 of 120

	<ul> <li>continued from previous page.</li> </ul>
	23.0.1 on x32 Microsoft Windows 7 SP1
	22.0 on x64 Microsoft Windows 7 SP1
	22.0 on x32 Microsoft Windows 7 SP1
	21.0 on x64 Microsoft Windows 7 SP1
	21.0 on x32 Microsoft Windows 7 SP1
	20.0.1 on x64 Microsoft Windows 7 SP1
	20.0.1 on x32 Microsoft Windows 7 SP1
	19.0.2 on x64 Microsoft Windows 7 SP1
	19.0.2 on x32 Microsoft Windows 7 SP1
	17.0.7 ESR on x64 Microsoft Windows 7 SP1
	17.0.7 ESR on x32 Microsoft Windows 7 SP1
	17.0.6 ESR on x64 Microsoft Windows 7 SP1
	17.0.6 ESR on x32 Microsoft Windows 7 SP1
Attack Vector	Client-side Web Page
Exploitation Impact	Code Execution
Exploitation Context	User
Windows Integrity Level	Medium
Exploitation Indicators	Target process exits
Prerequisites	Javascript
Reliability Rating	Completely (100%)
Development Status	Complete****
Development Phase	Professional Exploit: Metasploit Exploit Module
Development Goal	Professional Exploit: Metasploit Exploit Module
Exploit Features	ASLR handled
	DEP bypassed

<sup>\*</sup> Target version selection for major versions with multiple supported minor versions must be done manually. The user-agent string used for version detection does not include minor versions.

#### VBI-13-017 Mozilla Firefox Client-side Remote Code Execution

#### **VBI** Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2013-08-13
Expiration Date	

<sup>\*\*</sup> There is no official 64-bit build of Firefox. Firefox tested against x86-64 platforms is the x86-32 build executing under the WOW64 subsystem.

<sup>\*\*\*</sup> These platforms are assumed as the vulnerability is platform-independent.

<sup>\*\*\*\*</sup> Development is complete however additional targets may be supported upon request.

## Vulnerability Information

Target	Mozilla Firefox
Vulnerability Class	Memory Corruption
Affected Versions Tested	24
	23
	22
	21
	20
	19
	18
	17
	16
	15
	12
	9
Affected Versions Assumed	14
	13
	11
	10
Unaffected Versions	4
	3
Affected Platforms Tested	1: Microsoft Windows 8 SP0
	2: Microsoft Windows 7 SP0
	3: x32 Microsoft Windows XP SP3
	4: Ubuntu Linux 12.0.4
	5: Mac OSX 10.8.3
	6: Android 4.0
Affected Platforms Assumed	Microsoft Windows 8 SP1
	Microsoft Windows 7 SP1
	Microsoft Windows XP SP2
	Ubuntu Linux 12.x
	Mac OSX 10.8.x
Unaffected Platforms	
Reliability Rating	Completely (100%)

## Vulnerability Test Matrix

	1	2	3	4	5	6
24			V			
23			V			
22		V	V			V
21	V	V	V		V	
20		V	V			
19		V	V			
18		V	V			
17			V			

- continued from previous page.

				•		
	1	2	3	4	5	6
16			V			
15			V			
12			V			
9			V			

Exploit / Proof-of-Concept Information

Supported Targets	22 on x64 Microsoft Windows 7 SP0
	22 on x86-32 Microsoft Windows XP SP3
	21 on x64 Microsoft Windows 8 SP0
	21 on x64 Microsoft Windows 7 SP0
	21 on x86-32 Microsoft Windows XP SP3
	20 on x64 Microsoft Windows 7 SP0
	20 on x86-32 Microsoft Windows XP SP3
	19 on x64 Microsoft Windows 7 SP0
	19 on x86-32 Microsoft Windows XP SP3
	18 on x64 Microsoft Windows 7 SP0
	18 on x86-32 Microsoft Windows XP SP3
	17 on x86-32 Microsoft Windows XP SP3
	16 on x86-32 Microsoft Windows XP SP3
	15 on x86-32 Microsoft Windows XP SP3
	12 on x86-32 Microsoft Windows XP SP3
Attack Vector	Client-side Web Page
Exploitation Impact	Code Execution
Exploitation Context	User
Windows Integrity Level	Medium
Exploitation Indicators	Target process crashes
	Crash log
Prerequisites	Javascript
	Java runtime 6/1.6 for ALSR/ROP on Windows 8 and Windows 7*
Reliability Rating	High (80%)**
Exploit Failure Behavior	Chance of process crash increases with each subsequent exploitation
	attempt
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	ASLR Handled
	DEP Bypass

 $<sup>\</sup>mbox{\ensuremath{^{\ast}}}$  Different versions of JRE will require change in ROP/pivot code.

 $<sup>\</sup>boldsymbol{\ast}$  Reliability is likely able to be increased with additional research, upon request.

# Multiple Vendors

"This section is for vulnerability listings that affect multiple vendors. Specific vendor information will be included in the subsections."

# 16.1 Multiple BSD Jails

Jails, or virtualized root systems, for BSD-based operating systems enforce a virtualized system environment for a user or process to operate within.

# VBI-13-006 Multiple BSD Jail Local Jail Escape and Privileged Command Execution

#### **VBI** Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2013.05.06
Expiration Date	

### Vulnerability Information

Target	Dirk Engling's ezjail on PC-BSD* FreeBSD Warden on FreeBSD*
Vulnerability Class	Design Flaw
Affected Versions Tested	ezjail 3.2.3
	Warden 1.1.2
Affected Versions Assumed	

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 83 of 120

Unaffected Versions	
Affected Platforms Tested	1: FreeBSD 9.0-1
	2: FreeBSD 8.x
	3: PC-BSD 9.1
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	High (95%) when targeting Warden Ports Jail Configuration
	Medium (40%) when targeting Warden Traditional Jail Configura-
	tion
	Medium (40%) when targeting ezjail

### Vulnerability Test Matrix

	1	2	3
ezjail 3.2.3	V	V	
Warden 1.1.2			V

### Exploit / Proof-of-Concept Information

C	: :: 0.0.0 F DCD 0.0.1
Supported Targets	ezjail 3.2.3 on FreeBSD 9.0-1
	ezjail 3.2.3 on FreeBSD 8.x
	Warden 1.1.2 on PC-BSD 9.1
Attack Vector	Local
Exploitation Impact	Jail Escape
	Command Execution
Exploitation Context	root
	Targeted User
Exploitation Indicators	Miscellaneous files used in exploitation
Prerequisites	User write permissions to target file or directory
	ezjail: External system user must perform file write action
	Warden: Shared Filesystem
Reliability Rating	High (95%) when targeting non-syslog file writes
	High (80%) when targeting syslog file writes
Development Status	Complete
Development Phase	Proof-of-Concept
	Instructable
Development Goal	
Exploit Features	

<sup>\*</sup> The vulnerability exists due to a design flaw in the interaction of the jail software and the operating system rather than in either the jail software or operating system themselves.

# Multiple Anti-Virus and Anti-Malware Vendors

## 17.1 Multiple Anti-Virus and Anti-Malware Products

## VBI-10-014 Malicious Portable Executable Detection Bypass

Vulnerability Information

VBI Asset Type	Brokered
Affected Platforms Tested	Windows 2000 SP4
	Windows XP SP2
	Windows XP x64
	Windows 7 x86
Affected Platforms Assumed	All Microsoft Windows
Unaffected Platforms	
Affected Versions Tested	AhnLab-V3 2010.06.15.01
	Avira AntiVir 7.11.0.73, 8.2.2.6
	Antiy-AVL 2.0.3.7
	Avast 4.8.1351.0, 5.0.332.0, 5.0.677.0
	AVG 9.0.0.787, 9.0.0.851
	BitDefender 7.2
	CAT-QuickHeal 10.00, 11.00
	ClamAV 0.96.0.3-git, 0.96.4.0
	Command 5.2.11.5, Authentium 5.2.0.5
	Comodo 5113, 7088
	DrWeb 5.0.2.03300
	Emsisoft 5.1.0.1, a-squared 5.0.0.26
	eSafe 7.0.17.0
	CA eTrust-Vet 36.1.7636, 36.1.8046

	<ul> <li>continued from previous page.</li> </ul>
	F-Prot 4.6.0.103, 4.6.2.117
	F-Secure 9.0.15370.0, 9.0.16160.0
	Fortinet 4.1.133.0, 4.2.254.0
	GData 2010 (21)
	Ikarus T3.1.1.84.0, T3.1.1.90.0
	Jiangmin 13.0.900
	K7 AntiVirus 9.73.3267
	Kaspersky 7.0.0.125, 11.0.1.400, and latest suite in full install mode
	McAfee 5.400.0.1158 and GW-Edition
	Microsoft Forefront 1.5802, 1.6402
	ESet NOD32 5199, 5701
	Norman 6.04.12, 6.06.12
	nProtect 2010-06-15.02
	Panda 10.0.2.7 and latest suite in full install mode
	PCTools 7.0.3.5
	Prevx 3.0
	Rising AV 22.51.06.01, 22.78.03.06
	Sophos AV 4.54.0, 4.60.0
	SUPERAntiSpyware 4.40.0.1006
	Symantec 20101.1.0.89, 20101.3.0.103, and Norton 360 (latest, full
	install mode)
	TheHacker 6.5.2.0.299
	TrendMicro Titanium 9.120.0.1004 and HouseCall 9.120.0.1004
	GFI VIPRE 7684, Sunbelt 6451
	VirusBlokada VBA32 3.12.12.5, 3.12.14.2
	ViRobot 2010.6.14.3884, 2010.12.17.4205
	VirusBuster 5.0.27.0, 13.6.98.1
Affected Versions Assumed	Other versions of Affected Versions Tested
Reliability Rating	Complete (100%)

## ${\sf Exploit} \ / \ {\sf Proof\text{-}of\text{-}Concept} \ {\sf Information}$

Windows 2000 SP4
Windows XP SP2
Windows XP x64
Windows 7 x86
AhnLab-V3 2010.06.15.01
Avira AntiVir 7.11.0.73, 8.2.2.6
Antiy-AVL 2.0.3.7
Avast 4.8.1351.0, 5.0.332.0, 5.0.677.0
AVG 9.0.0.787, 9.0.0.851
BitDefender 7.2
CAT-QuickHeal 10.00, 11.00
ClamAV 0.96.0.3-git, 0.96.4.0
Command 5.2.11.5, Authentium 5.2.0.5
Comodo 5113, 7088

	<ul> <li>continued from previous page.</li> </ul>
	DrWeb 5.0.2.03300
	Emsisoft 5.1.0.1, a-squared 5.0.0.26
	eSafe 7.0.17.0
	CA eTrust-Vet 36.1.7636, 36.1.8046
	F-Prot 4.6.0.103, 4.6.2.117
	F-Secure 9.0.15370.0, 9.0.16160.0
	Fortinet 4.1.133.0, 4.2.254.0
	GData 2010 (21)
	Ikarus T3.1.1.84.0, T3.1.1.90.0
	Jiangmin 13.0.900
	K7 AntiVirus 9.73.3267
	Kaspersky 7.0.0.125, 11.0.1.400, and latest suite in full install mode
	McAfee 5.400.0.1158 and GW-Edition
	Microsoft Forefront 1.5802, 1.6402
	ESet NOD32 5199, 5701
	Norman 6.04.12, 6.06.12
	nProtect 2010-06-15.02
	Panda 10.0.2.7 and latest suite in full install mode
	PCTools 7.0.3.5
	Prevx 3.0
	Rising AV 22.51.06.01, 22.78.03.06
	Sophos AV 4.54.0, 4.60.0
	SUPERAntiSpyware 4.40.0.1006
	Symantec 20101.1.0.89, 20101.3.0.103, and Norton 360 (latest, full
	install mode)
	TheHacker 6.5.2.0.299
	TrendMicro Titanium 9.120.0.1004 and HouseCall 9.120.0.1004
	GFI VIPRE 7684, Sunbelt 6451
	VirusBlokada VBA32 3.12.12.5, 3.12.14.2
	ViRobot 2010.6.14.3884, 2010.12.17.4205
	VirusBuster 5.0.27.0, 13.6.98.1
Attack Vector	File Format / Client-Side
Exploitation Impact	Detection Bypass
Exploitation Context	Not Applicable
Exploitation Indicators	Malformed Portable Executable (PE) files on filesystem
Reliability Rating	Complete (100%)
Development Status	Complete
Development Phase	Utility
Development Goal	Utility
	II

This vulnerability is a logic flaw in the way that the vulnerable products handle Portable Executable files. Due to the underlying reason that the products behave in the way that they do, this flaw is thought to be fairly ubiquitous among these types of products.

The utility provided with the vulnerability materials can modify any known-malicious Portable Executable (PE) file into a format that will bypass anti-virus and anti-malware detection while retaining it's executable capability.

# Novell

"Novell[32] is a leading provider of infrastructure software. Our vision is helping people and technology to work as one. Our mission is to help customers reduce the cost, complexity and risk of computing on any platform."

### 18.1 Novell Clients

"The Novell Client workstation software[33] extends the capabilities of Linux and Windows desktops by providing access to NetWare and Open Enterprise Server (OES). Once installed on workstations, Novell Clients enable users to enjoy the full range of Novell services such as authentication via Novell eDirectory, network browsing and service resolution, and secure and reliable file system access—all delivered through industry-standard protocols. The Client supports Novell's traditional NCP protocol."

#### VBI-10-004 Novell Client Remote Code Execution

#### Vulnerability Information

VBI Asset Type	Brokered			
Affected Platforms Tested	32-bit x86 Windows 2000 SP4			
	32-bit x86 Windows XP SP3			
	32-bit x86 Windows 2003 SP2			
Affected Platforms Assumed	All 32-bit x86 Windows, all language packs			
Unaffected Platforms				
Affected Versions Tested	4.28			
	4.30			
	4.32			
	4.34			
	4.36			
	4.38			

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 88 of 120

	<ul> <li>continued from previous page.</li> </ul>
	5.12*
	5.20*
	5.30*
	5.32*
	5.40*
	5.42*
	5.44*
Affected Versions Assumed	None
Unaffected Versions	
Reliability Rating	Completely (100%)
Reserve Price	None

Exploit / Proof-of-Concept Information

Supported Platforms	32-bit x86 Windows 2000 SP4					
	32-bit x86 Windows XP SP3					
	32-bit x86 Windows 2003 SP2					
Supported Versions	4.28					
	4.30					
	4.32					
	4.34					
	4.36					
	4.38					
	5.12*					
	5.20*					
	5.30*					
	5.32*					
	5.40*					
	5.42*					
	5.44*					
Attack Vector	Local, Man-in-the-Middle, and Client-Side**					
Exploitation Impact	Code Execution					
Exploitation Context	SYSTEM (locally, some remote cases), Current User (remotely)					
Exploitation Indicators	Browser crash when using Client-Side vector					
Reliability Rating	Completely (100%)					
Development Status	Complete					
Development Phase	Professional Exploit					
Development Goal	Professional Exploit					

The exploit for this vulnerability is a universal platform and vector independent multi-stage exploit which handles DEP. Note that some platforms identified or assumed as vulnerable are not supported by the exploit as the exploit does not handle GuardStack protection, which is enabled in platforms such as Windows Vista, 7, and 2008.

<sup>\*</sup> The 5.x version branch is not supported by the Vendor for the Windows 2000 platform.

** Attack vectors include targeting a local executable, remotely targeting a Windows service, or targeting a web browser.

# Open Source

Open Source[34] refers to software or projects that are not backed by any particular vendor but are provided under various open source or free software licenses by the community or an individual.

### 19.1 tcpdump

"tcpdump[35] prints out a description of the contents of packets on a network interface that match the boolean expression. It can also be run with the -w flag, which causes it to save the packet data to a file for later analysis, and/or with the -r flag, which causes it to read from a saved packet file rather than to read packets from a network interface. In all cases, only packets that match expression will be processed by tcpdump."

VBI-12-028 tcpdump Local Privilege Escalation and Backdoor with Firewall Evasion

### Vulnerability Information

VBI Asset Type	Internal
Listing Date	2012.05.21
Expiration Date	2012.09.01
Vulnerability Class	Design Flaw
Affected Versions Tested	4.2.1
	4.1.1
	4.1.0
	4.0.0
Affected Versions Assumed	4.0.0 through 4.2.1
Unaffected Versions	Versions prior to 4.0.0
Affected Platforms Tested	1: x86-64 Ubuntu Linux 11.10
	2: x86-32 Solaris 11

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 91 of 120

	3: x86-32 FreeBSD 9
	4: x86-64 Apple Mac OS X 10.7 (Lion)
Affected Platforms Assumed	All Linux
	All Solaris
	All BSD
	All Apple Mac OS X
Unaffected Platforms	
Reliability Rating	Completely (100%)

### Vulnerability Test Matrix

	1	2	3	4
4.2.1	V		V	
4.1.1	V	V	V	V
4.1.0	V			
4.0.0	V		V	

## Exploit / Proof-of-Concept Information

4.2.1 on x86-64 Ubuntu Linux 11.10				
4.2.1 on x86-32 FreeBSD 9				
4.1.1 on x86-64 Ubuntu Linux 11.10				
4.1.1 on x86-32 Solaris 11				
4.1.1 on x86-32 FreeBSD 9				
4.1.1 on x86-64 Apple Mac OS X 10.7 (Lion)				
4.1.0 on x86-64 Ubuntu Linux 11.10				
4.0.0 on x86-64 Ubuntu Linux 11.10				
4.0.0 on x86-32 FreeBSD 9				
Local				
Command Execution				
root				
Process Execution				
Must be able to execute tcpdump with the required elevated privi-				
leges (suid/sudo)				
Completely (100%)				
Complete				
Exploit				
Exploit				
Backdoor mode with Firewall Evasion*				
Timed/Delayed execution				
Backdoor can be opened via similar technique to port knocking				

<sup>\*</sup> This exploit is capable of being launched with a set of commandline parameters that allow it to function as a backdoor which can evade some firewalls.

# Opera Software ASA

"Opera[36] started in 1994 as a research project inside Norways largest telecom company, Telenor. Within a year, it branched out into an independent development company named Opera Software ASA.

Today, Opera Software develops the Opera Web browser, a high-quality, multi-platform product for a wide range of platforms, operating systems and embedded Internet products including Mac, PC and Linux computers, mobile phones and PDAs, game consoles, and other devices like the Nintendo Wii, DS, Sony Mylo, and more.

Operas vision is to deliver the best Internet experience on any device. Operas key business objective is to earn global leadership in the market for PC/desktops and embedded products. Operas main business strategy is to provide a browser that operates across devices, platforms and operating systems, and can deliver a faster, more stable and flexible Internet experience than its competitors."

# 20.1 Opera Web Browser

"The Opera Web Browser[37] is a high-quality, multi-platform product for a wide range of platforms, operating systems and embedded Internet products including Mac, PC and Linux computers, mobile phones and PDAs, game consoles, and other devices like the Nintendo Wii, DS, Sony Mylo, and more."

# VBI-13-018 Opera Web Browser Universal Client-side Remote Code Execution

#### **VBI** Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2013-10-09

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 93 of 120

Expiration Date		

## Vulnerability Information

Target	Opera Web Browser
	Opera Mini Web Browser
Vulnerability Class	Logic or Design Flaw
Affected Versions Tested	Opera 12.15
	Opera 12.14
	Opera 12.13
	Opera 12.12
	Opera 12.11
	Opera 12.10
	Opera 12.02
	Opera 12.01
	Opera 12.00
	Opera Mini 17.0
	Opera Mini 12.15
	Opera Mini 12.14
	Opera Mini 12.13
	Opera Mini 12.12
	Opera Mini 12.11
	Opera Mini 12.10
	Opera Mini 12.02
	Opera Mini 12.01
	Opera Mini 12.00
Affected Versions Assumed	Opera 14.x
	Opera 13.x
	Opera 12.x
	Opera Mini 16.x
	Opera Mini 15.x
	Opera Mini 14.x
	Opera Mini 13.x
	Opera Mini 12.x
Unaffected Versions	Opera 17.0
	Opera 16.x
	Opera 15.x
Affected Platforms Tested	1: Microsoft Windows 7 SP1 (FP:2013-10-09)
	2: Microsoft Windows Vista Ultimate SP2 (FP:2013-10-09)
	3: Microsoft Windows XP SP3 (FP:2013-10-09)
	4: x86-32 Ubuntu Linux 13.04 (FP:2013-10-09)
	5: Mac OSX 10.8 (FP:2013-10-09)
	6: iPhone IOS 6 (FP:2013-10-09)
	7: Android 4.3 (FP:2013-10-09)
Affected Platforms Assumed	All Microsoft Windows
	All Linux
	All Mac OSX
	Table continued on next page

		continued from previous page.
	iPad IOS 6	
	Sybian / Nokia mobile devices	
	Nintendo Wii	
	Blackberry mobile devices	
Unaffected Platforms		
Reliability Rating	Completely (100%)	

## Vulnerability Test Matrix

	1	2	3	4	5	6	7
17.0	N	N	N	N			
12.15	V	V	V	V			
12.14	V	V	V	V			
12.13	V	V	V	V			
12.12	V	V	V	V			
12.11	V	V	V	V			
12.10	V	V	V	V			
12.02	V	V	V	V			
12.01	V	V	V	V			
12.00	V	V	V	V			
Mini 17.0					V	V	V
Mini 12.15					V	V	V
Mini 12.14					V	V	V
Mini 12.13					V	V	V
Mini 12.12					V	V	V
Mini 12.11					V	V	V
Mini 12.10					V	V	V
Mini 12.02					V	V	V
Mini 12.01					V	V	V
Mini 12.00					V	V	V

### Exploit / Proof-of-Concept Information

Supported Targets	1: 12.x on all Microsoft Windows
	2: 12.x on all Linux
	3: 12.x on all Mac OSX
Attack Vector	Client-side Remote
Exploitation Impact	Code Execution (Windows, Linux, OSX)*
Exploitation Context	User
Windows Integrity Level	Medium
Exploitation Indicators	
Prerequisites	Javascript
Reliability Rating	Target 1: Completely (100%)
	Target 2: Completely (100%)
	Target 3: Completely (100%)

### VBI Vulnerabilities Portfolio

- continued from previous page.

Exploit Failure Behavior	n/a
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	Target Environment Cleanup

<sup>\*</sup> Additional impacts possible by leveraging this vulnerability include hijacking browser traffic, UXSS, browser configuration disclosure, and local file disclosure. Mobile platform targets are restricted to browser configuration disclosure.

# Oracle Corporation

"Oracle Corporation[38], an enterprise software company, engages in the development, manufacture, distribution, servicing, and marketing of database, middleware (computer software that connects software components or applications), and application software."

### 21.1 Java

"Java[39] allows you to play online games, chat with people around the world, calculate your mortgage interest, and view images in 3D, just to name a few. It's also integral to the intranet applications and other e-business solutions that are the foundation of corporate computing."

# VBI-10-030 Java Virtual Machine (JRE & JDK) Client-Side Remote Code Execution

### Vulnerability Information

VBI Asset Type	Brokered
Affected Platforms Tested	32-bit x86 Microsoft Windows XP SP2 & SP3
	32-bit x86 Microsoft Windows Vista SP1 & SP2
	64-bit x86 Microsoft Windows Vista SP1 & SP2
	32-bit x86 Microsoft Windows 7
	64-bit x86 Microsoft Windows 7
	32-bit x86 Ubuntu Linux 10.10 kernel 2.6.35 i686
Affected Platforms Assumed	
Unaffected Platforms	Mac OS X*
Affected Versions Tested	7.0.4
	6.0.10 - 6.0.24
	6.0.0 - 6.0.7

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 97 of 120

	- continued from previous page.
	5.0.22
	5.0.1
Affected Versions Assumed	
Unaffected Versions	
Reliability Rating	Completely (100%)

Exploit / Proof-of-Concept Information

Supported Platforms	32-bit x86 Microsoft Windows XP SP2 & SP3
	32-bit x86 Microsoft Windows Vista SP2
	64-bit x86 Microsoft Windows Vista SP2
	32-bit x86 Microsoft Windows 7
	64-bit x86 Microsoft Windows 7
Supported Versions	JRE 6.0.20 - 6.0.24
	JRE 6.0.17 - 6.0.18
	JRE 6.0.7
	JRE 6.0.0
	JRE 1.5.11
	JRE 1.5.6
Attack Vector	Client-Side
Exploitation Impact	Remote Code Execution
Exploitation Context	User
Exploitation Indicators	On success there is no indication. On failure the JVM silently crashes
	resulting in hs_err_ <pid>.log crash log file.</pid>
Prerequisites	None
Reliability Rating	Very Reliable (95%)**
Development Status	Active
Development Goal	Metasploit Exploit Module supporting all vulnerable platforms and
	versions listed.
Development Phase	Metasploit Exploit Module

<sup>\*</sup> Testing on Mac OS X was limited and may not represent the vulnerable state of all Mac OS X platforms.

### 21.2 WebCenter Content

"Oracle WebCenter Content [40] provides leading-edge solutions for all types of content management needs. From file server consolidation to sophisticated multisite web content management, Oracle WebCenter Content provides a robust, scalable solution, along with a powerful infrastructure that allows you to create content-enabled applications."

<sup>\*\*</sup> Because failed attempts at exploiting the vulnerability result in a silent crash, exploitation can be repeatedly attempted until successful.

# VBI-12-038 Oracle WebCenter Content Core Component Remote Authentication Bypass and Code Execution

### Vulnerability Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2012.09.04
Expiration Date	2012.10.04
Vulnerability Class	Logic Flaw
Target	Oracle WebCenter Content*
Affected Versions Tested	11gR1
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: Oracle WebLogic Server on Microsoft Windows Server 2003 R2
Affected Platforms Assumed	All supported operating systems**
Unaffected Platforms	
Reliability Rating	High (95%)***

### Vulnerability Test Matrix

	1
11gR1	V

### Exploit / Proof-of-Concept Information

Supported Targets	Oracle WebCenter Content 11gR1 on Oracle WebLogic Server on
	Microsoft Windows 2003
Attack Vector	Remote
Exploitation Impact	Authentication Bypass
	Code Execution****
Exploitation Context	Application Administrator
	System User
Windows Integrity Level	N/A on Microsoft Windows Server 2003 R2
Exploitation Indicators	
Prerequisites	
Reliability Rating	Complete (100%)
Development Status	Active****
Development Phase	Instructional
Development Goal	Professional or Multiple Exploits
Exploit Features	

October 28, 2013 CONFIDENTIAL Page 99 of 120

- \* Note that Oracle WebCenter Content has achieved Department of Defense (DoD) 5015.2-STD version 3 certification.
- \*\* The vulnerability is a logic flaw. As such, the underlying platform and associated mitigations by such are irrelevant to exploitation.
- \*\*\* Reliability is not 100% due to the location of the vulnerability being in a core component. This core component is employed by multiple other product components, many with complex configuration options which may affect reliability.
- \*\*\*\* Code execution is achieved using existing legitimate functionality of the various components that becomes available post-auth.
- \*\*\*\*\* Support for additional target WebCenter Content components may be developed upon request.

# Parallels IP Holdings GmbH

"Parallels[41] is a worldwide leader in virtualization and automation software that optimizes computing for consumers, businesses, and service providers across all major hardware, operating system, and virtualization platforms. Founded in 1999, Parallels is a fast-growing company with 800 employees in North America, Europe, and Asia."

### 22.1 Plesk Panel

"The most widely used hosting control panel solution. Parallels Plesk Panel [42] is the first step for your business - toward faster sites and faster mobile access for website owners and toward a complete product line as your hosting business grows."

### VBI-13-003 Parallels Plesk Panel Remote Code Execution

### **VBI** Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2013.03.28
Expiration Date	

### Vulnerability Information

Target	Parallels Plesk Panel
Vulnerability Class	Logic Flaw
Affected Versions Tested	9.5.4 FP(2013.03.26)
	9.3 FP(2013.03.26)

Table continued on next page...

October 28, 2013 CONFIDENTIAL Page 101 of 120

	- continued from previous page.
	9.2 FP(2013.03.26)
	9.0 FP(2013.03.26)
	8.6 FP(2013.03.26)
Affected Versions Assumed	9.x below 9.5.4 inclusive
	8.x above 8.6 inclusive
Unaffected Versions	11.0.9
	10.4.4
Affected Platforms Tested	1: x86-64 Red Hat Enterprise Linux Server 5.9
	2: x86-32 CentOS 5.9
	3: x86-64 CentOS 5.4
	4: amd64 Debian GNU/Linux 5.0.7
	5: x86-32 Debian GNU/Linux 5.0.5
	6: x86-32 Debian GNU/Linux 4.0
	7: x86-32 Fedora Core 6
Affected Platforms Assumed	All CentOS*
	All Linux*
Unaffected Platforms	
Reliability Rating	Completely (100%)

## Vulnerability Test Matrix

	1	2	3	4	5	6	7
9.5.4	V	V	V	V	V	V	V
9.3	V	V	V	V	V	V	V
9.2	V	V	V	V	V	V	V
9.0	V	V	V	V	V	V	V
8.6	V	V	V	V	V	V	V

### Exploit / Proof-of-Concept Information

Supported Targets	9.5.4 on all tested Linux platforms
	9.5.4 on all tested CentOS platforms
	9.3 on all tested Linux platforms
	9.3 on all tested CentOS platforms
	9.2 on all tested Linux platforms
	9.2 on all tested CentOS platforms
	9.0 on all tested Linux platforms
	9.0 on all tested CentOS platforms
	8.6 on all tested Linux platforms
	8.6 on all tested CentOS platforms
Attack Vector	Remote
Exploitation Impact	Code Execution
Exploitation Context	Apache Webserver User
Exploitation Indicators	Apache log entries
Prerequisites	Default Plesk installation

### VBI Vulnerabilities Portfolio

- continued from previous page.

Reliability Rating	Completely (100%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	

<sup>\*</sup> Due to this vulnerability being a logic flaw, the underlying platform is largely irrelevant and does not affect the viability of the vulnerability.

# PineApp Ltd.

"PineApp[43]<sup>TM</sup> is a leading security solution provider for Information Technology.

PineApp offers comprehensive email security, email archiving and web filtering solutions that are available as an appliance or software (on a server or VMware platform). PineApps solutions are also available for service providers (ISPs) who wish to offer Cloud-Managed-Services and a DRP (Disaster Recovery Plan) solution to their customers.

Founded in 2002, PineApp is headquartered in Israel, with branch offices in the US, Canada, UK, Spain, Italy, France, Russia and Singapore and has distributors in more than 50 countries."

### 23.1 Mail-SeCure

"PineApp Mail-SeCure[44] series appliance protects organizational networks from both targeted and non targeted email related threats. Mail-SeCure is equipped with cutting-edge perimeter security engines that focus on stopping the vast majority of threats by looking at the credibility of their sources before they penetrate the customers network.

PineApps perimeter security approach helps save a substantial amount of system resources previously wasted on unnecessary content inspections. Mail-SeCure provides system administrators with the tools to handle both email-borne threats and a variety of email-related administrative tasks."

### VBI-11-011 PineApp Mail-SeCure Remote Command Execution

### Vulnerability Information

VBI Asset Type	Brokered
Vulnerability Class	Input Validation
Affected Versions Tested	Mail-SeCure 3.70
Affected Versions Assumed	Previous versions employing the same web management code.

Unaffected Versions	
Affected Platforms Tested	2: PHP 5.2.4 on Apache 2.2.6 on Mail-SeCure 1019SJ
	3: PHP 5.2.4 on Apache 2.2.6 on Mail-SeCure 2049SK
	4: PHP 5.2.4 on Apache 2.2.6 on Mail-SeCure 3029SK
	5: PHP 5.2.4 on Apache 2.2.6 on Mail-SeCure 5099SK
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

## Vulnerability Test Matrix

	1	2	3	4
3.70	V	V	V	V

## ${\sf Exploit} \ / \ {\sf Proof\text{-}of\text{-}Concept} \ {\sf Information}$

Supported Targets	Universal Mail-SeCure Target
Attack Vector	Remote Pre-Auth
Exploitation Impact	Command Execution
Exploitation Context	Root or Privileged User (qmailq)
Exploitation Indicators	Entry in the Apache webserver log.
Prerequisites	
Reliability Rating	Completely (100%)
Development Status	Active
Development Phase	Exploit
Development Goal	Professional Exploit
Exploit Features	Metasploit Exploit Module
	Post-exploitation interactive command shell

# Safenet, Inc.

"SafeNet[45] is the largest company exclusively focused on the protection of high-value information assets. SafeNet protects:

- The Most Money That Moves Securing 80% of all electronic banking transfers, the equivalent of \$1 Trillion daily
- The Most Digital Identities Protecting government and Fortune 100 public key infrastructures (PKI's) with industry-leading strong authentication
- The Most High Value Software Over 80 million hardware keys sold, protecting intellectual property and providing efficient license management solutions
- The Most Government Information Proven and trusted by governments around the world, providing the largest deployment of government communications security

### Today, We Are:

- A Global Success Over 25,000 customers in 100 countries, with 1,550 employees in 25 countries
- Proven and Stable Founded in 1983 with revenues in the hundreds of millions of dollars, and under private ownership
- Best-in-class Security technology products certified to the highest security standards
- Experts More than 550 security engineers developing cutting-edge technologies and patents

### 24.1 Sentinel HASP

"Sentinel HASP[46], formerly Aladdin HASP SRM, enables the use of either software- or hardware-based protection keys to enforce software protection and licensing.

October 28, 2013 CONFIDENTIAL Page 106 of 120

With Sentinel HASP, you can increase your profits by protecting against losses from software piracy and intellectual property theft and enable innovative business models to increase value and differentiate your products.

Sentinel HASP fully integrates with your existing software product lifecycle to minimize disruptions to development and business processes. Sentinel HASP features role-based tools and processes that allow your entire staff to focus on their core competencies.

Featuring easy-to-use role-based tools for developers, product managers, order processing and production, Sentinel HASP ensures a short learning curve and optimum use of employee time and core competencies, thus ensuring quick time-to-market and the ability to quickly respond to changing market needs.

Sentinel HASP provides the industry's strongest, most robustfk software security solution. For example, Sentinel HASP offers industry-leading support for licensing in virtual environments and is the first and only software licensing and reverse engineering protection tool solution on the market today to support J2EE applications."

### VBI-13-007 Safenet Sentinel HASP Local Privilege Escalation

#### **VBI** Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2013-08-10
Expiration Date	

### Vulnerability Information

Target	Safenet Sentinel HASP*
Vulnerability Class	Design Flaw
Affected Versions Tested	6.56
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x32 Microsoft Windows 7 SP1 (FP:2013-07-24)
Affected Platforms Assumed	All Microsoft Windows
Unaffected Platforms	
Reliability Rating	Completely (100%)

#### Vulnerability Test Matrix

	1
6.56	V

Exploit / Proof-of-Concept Information

October 28, 2013 CONFIDENTIAL Page 107 of 120

Supported Targets	6.56 on x32 Microsoft Windows 7 SP1 (FP:2013-07-24)
Attack Vector	Local
Exploitation Impact	Privilege Escalation
Exploitation Context	SYSTEM
Windows Integrity Level	High
Exploitation Indicators	
Prerequisites	%PATH% environment variable must contain a directory with R/W
	privileges for Guest(User)**
Reliability Rating	Completely (100%)
Development Status	Active
Development Phase	Delayed Exploit***
Development Goal	Exploit
Exploit Features	

<sup>\*</sup> Safenet Sentinel HASP comes pre-installed with a number of upmarket commercial software, including but not limited to: iXAM, 1C, Adroit Photo Forensics, SoilVision, Intella, Bohemia Interactive, CodeWare, RockScience, and many others.

October 28, 2013 CONFIDENTIAL Page 108 of 120

<sup>\*\*</sup> Many common software installations perform an update to %PATH% that meets this requirement, including python, ActiveTCL, GTK+, ActivePerl, etc.

<sup>\*\*\*</sup> Currently the exploit impact will only be achieved after system reboot or at a random time during the exploited system's uptime. Development is currently focused on improving this to immediate impact.

## Chapter 25

## **Tencent**

"Founded in November, 1998, Tencent [47] has grown into one of China's largest and most used Internet service portal. Since its establishment over the last decade, Tencent has maintained steady growth under its user-oriented operating strategies. On June 16, 2004, Tencent Holdings Limited (SEHK 700) went public on the main board of the Hong Kong Stock Exchange.

It is Tencent's mission to enhance the quality of human life through Internet services. Presently, Tencent is providing value-added Internet, mobile and telecom services and online advertising under the strategic goal of providing users with "one-stop online lifestyle services". Tencents leading Internet platforms in China QQ[48] (QQ Instant Messenger), QQ.com, QQ Games, Qzone, 3g.QQ.com, SoSo, PaiPai and Tenpay have brought together China's largest Internet community, to meet the various needs of Internet users including communication, information, entertainment, e-commerce and others. As of Sep 30, 2011, the active QQ users accounts for QQ IM amounted to 711.7 million while its peak concurrent users reached 145.4 million. The development of Tencent has profoundly influenced the ways hundreds of millions of Internet users communicate with one another as well as their lifestyles. It also brings possibilities of a wider range of applications to the Chinas Internet industry.

Looking forward, Tencent remains committed to enhancing its development and innovation capabilities while strengthening its nationwide branding for its long term development. More than 50% of Tencent employees are R&D staff. Tencent has obtained patents relating to the technologies in various areas: instant messaging, e-commerce, online payment services, search engine, information security, gaming, and many more. In 2007, Tencent invested more than RMB100 million in setting up the Tencent Research Institute, China's first Internet research institute, with campuses in Beijing, Shanghai, and Shenzhen. The institute focuses on the self-development of core Internet technologies, in pursuing its development and innovation for the industry.

Tencent's long term vision is to become the most respected Internet enterprise. In order to fulfill corporate social responsibilities and to promote civil Internet communities, Tencent has been actively participating in public charity programs. In 2006, Tencent inaugurated the Tencent Charity Fund, the first charity foundation set up by a Chinese Internet enterprise, and the public charity website gongyi.qq.com. The website focuses on youth education, assisting impoverished communities, care for the disadvantaged, and disaster relief. Tencent has currently begun a number of public charity projects across China. It strives to help build a harmonious society and to become a good corporate citizen."

October 28, 2013 CONFIDENTIAL Page 109 of 120

### 25.1 QQ Player

"Tencent QQ[48] provides total solution for Internet-based instant messaging (IM) platform. It supports comprehensive basic online communication functions, including text messaging, video and voice chat as well as online (offline) file transmission. It also supports cross platform communication between PC and wireless terminals. The new QQ2009 edition is fully compatible with Windows XP, Vista, Linux, Mac and other systems. Meanwhile, the third-generation QQ with "Hummer" as its core has strengthened the integration of various Internet services to build a complete, mature and diversified online life platform for users."

#### VBI-13-004 Tencent QQ Player Client-side Remote Code Execution

#### **VBI** Information

VBI Asset Type	Brokered
VBI Asset Availability	Exclusive Purchase
	Non-Exclusive Purchase
	Monthly License
Listing Date	2013.04.12
Expiration Date	

#### Vulnerability Information

Target	Tencent QQ Player
Vulnerability Class	Memory Corruption
Affected Versions Tested	3.7 (892)
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: x86-32 Microsoft Windows 7 Ultimate SP1 FP(2013.04.12)
	2: x86-64 Microsoft Windows 7 Ultimate SP1 FP(2013.04.12)
	3: x86-32 Microsoft Windows 7 Enterprise SP1 FP(2013.04.12)
	4: x86-64 Microsoft Windows 7 Enterprise SP1 FP(2013.04.12)
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Completely (100%)

#### Vulnerability Test Matrix

	1	2	3	4
3.7 (892)	V	V	٧	V

Exploit / Proof-of-Concept Information

October 28, 2013 CONFIDENTIAL Page 110 of 120

Supported Targets	3.7 (892) on x86-32 Microsoft Windows 7 Ultimate SP1							
	FP(2013.04.12) 3.7 (892) on x86-64 Microsoft Windows 7 Ultimate SP1 FP(2013.04.12)							
	3.7 (892) on x86-32 Microsoft Windows 7 Enterprise SP1 FP(2013.04.12)							
	3.7 (892) on x86-64 Microsoft Windows 7 Enterprise SP1 FP(2013.04.12)							
Attack Vector	Client-side							
Exploitation Impact	Code Execution							
Exploitation Context	User							
Windows Integrity Level	Medium							
Exploitation Indicators	Target software crashes							
Prerequisites								
Reliability Rating	High (70%)*							
Development Status	Complete							
Development Phase	Exploit							
Development Goal	Exploit							
Exploit Features	ASLR Handled							
	DEP Bypass							
	Arbitrary Payload							

<sup>\*</sup> Reliability is not 100% as sometimes various threads crash before exploit success. Multiple process threads access the memory being corrupted, therefore it would be difficult to achieve process continuation as well as 100% reliability.

October 28, 2013 CONFIDENTIAL Page 111 of 120

## Chapter 26

## Zabbix SIA

"ZABBIX SIA[49] is based in Riga, Latvia. Its CEO is Alexei Vladishev, the owner and ZABBIX product manager.

The basic work sphere of ZABBIX SIA is development of open source software for monitoring of networks and applications. Apart from that the company offers a wide range of professional services designed to fit every customer's unique business demands including implementation, integration, custom development and consulting services as well as various training programs.

ZABBIX team's mission is to make a superior monitoring solution available and affordable for all.

The company's flagship product is ZABBIX, one of the most popular open source monitoring software in the world. It is already used by a vast number of companies, who have chosen it due to real scalability, high and robust performance, ease of use and extremely low costs of ownership.

ZABBIX SIA is privately held."

#### 26.1 Zabbix

"Zabbix[50] is the ultimate open source availability and performance monitoring solution. Zabbix offers advanced monitoring, alerting, and visualization features today which are missing in other monitoring systems, even some of the best commercial ones."

#### VBI-12-030 Zabbix Remote Code Execution

Vulnerability Information

VBI Asset Type	Brokered	
VBI Asset Availability	Exclusive Purchase	
	Non-Exclusive Purchase	
	Monthly License	
1	11 -	Table continued on next page

October 28, 2013 CONFIDENTIAL Page 112 of 120

### - continued from previous page.

Listing Date	2012.06.21
Expiration Date	
Vulnerability Class	Input Validation
Affected Versions Tested	2.0.0
	1.8.5
Affected Versions Assumed	
Unaffected Versions	
Affected Platforms Tested	1: PHP 5.3.3-7+squeeze12 on Apache 2.2.16-6+squeeze7 on x86-32
	Debian 6.0.5
	2: PHP 5.4.4-2 on Apache 2.2.22-9 on x86-32 Debian test-
	ing(2012.06.21)
	3: PHP 5.4.4-2 on Apache 2.2.22-9 on x86-32 Debian unsta-
	ble(2012.06.21)
	4: PHP 5.4.4 on Apache 2.4.2 on x86-64 Microsoft Windows 2008
	SP2
	5: PHP 5.3.14 on Apache 2.4.2 on x86-64 Microsoft Windows 2008
	SP2
	6: PHP 5.4.4 on Apache 2.4.2 on x86-32 Microsoft Windows 2003 SP2
	7: PHP 5.3.14 on Apache 2.4.2 on x86-32 Microsoft Windows 2003
	SP2
	8: PHP 5.4.4 on Apache 2.4.2 on x86-32 Microsoft Windows XP
	SP3
	9: PHP 5.3.14 on Apache 2.4.2 on x86-32 Microsoft Windows XP
	SP3
	10: PHP 5.3.3 on Apache 2.2.15-15 on x86-32 CentOS 6.2
	11: PHP 5.1.6 on Apache 2.2.3-63 on x86-32 CentOS 5.8
Affected Platforms Assumed	
Unaffected Platforms	
Reliability Rating	Near-Complete (99%)

#### Vulnerability Test Matrix

	1	2	3	4	5	6	7	8	9	10	11
2.0.0	V	V	V	V	V	V	V	V	V	V	V
1.8.5	V	V	V	V	V	V	V	V	V	V	V

### Exploit / Proof-of-Concept Information

Supported Targets	2.0.0 on all Affected Platforms Tested
	1.8.5 on all Affected Platforms Tested
Attack Vector	Remote Pre-Auth
Exploitation Impact	Code Execution
Exploitation Context	Webserver User
Windows Integrity Level	

Table continued on next page...

### VBI Vulnerabilities Portfolio

### continued from previous page.

Exploitation Indicators	PHP files modifications
Prerequisites	
Reliability Rating	Near-Complete (99%)
Development Status	Complete
Development Phase	Exploit
Development Goal	Exploit
Exploit Features	PHP disabled_functions restrictions bypass (multiple techniques)

## Chapter 27

# Vulnerability History and Status

VBI ID	Description	Status
VBI-13-021	Google Android Local Application Permissions Evasion	Available
VBI-13-021	PHP Remote Command Execution	Sold
VBI-13-020	Microsoft Windows Kernel Local Privilege Escalation	Available
VBI-13-019	McAfee ePolicy Orchistrator Privileged Remote Code Execution	Available
VBI-13-018	Opera Web Browser Universal Client-side Remote Code Execution	Available
VBI-13-017	Mozilla Firefox Client-side Remote Code Execution	Available
VBI-13-016	Kingsoft Office Client-side Remote Code Execution	Available
VBI-13-015	ASUS Device Driver Local Privilege Escalation	Available
VBI-13-014	ZeroShell Remote Privileged Command Execution	Available
VBI-13-013	Microsoft Windows Kernel Local Privilege Escalation	Available
VBI-13-012	Mozilla Firefox Client-side Remote Code Execution	Available
VBI-13-011	Adobe Photoshop Client-side Remote Code Execution	Available
VBI-13-010	avast! Anti-Virus Local Privilege Escalation	Available
VBI-13-009	Microsoft Internet Explorer Client-side Remote Code Execution	Sold
VBI-13-008		Pending
VBI-13-007	SafeNet Sentinel HASP Local Privilege Escalation	Available
VBI-13-006	Multiple BSD Jail Local Jail Escape and Privileged Command Exe-	Available
VDI 12 00E	cution	A '1 1 1
VBI-13-005	avast! Anti-Virus Local Information Disclosure	Available
VBI-13-004	Tencent QQ Player Remote Code Execution	Available
VBI-13-003	Parallels Plesk Panel Remote Code Execution	Available
VBI-13-002	Barracuda Web Filter Privileged Remote Code Execution	Available
VBI-13-001	Oracle Solaris SSHD Privileged Remote Command Execution	Sold
VBI-13-000	Barracuda Web Filter Privileged Remote Code Execution	Available
VBI-12-039	Microsoft Internet Explorer Client-side Remote Code Execution and	Available
VDI 10 020	Information Disclosure	A
VBI-12-038	Oracle WebCenter Content Core Component Remote Authentication	Available
	Bypass and Code Exeuction	

Continued on Next Page. . .

Table 27.1 – Continued

Apple iOS Remote Forced Firmware Update Avoidance Apple iOS Remote Forced Access-Point Association Microsoft Office Client-Side Remote Code Execution Juniper Network Connect Server Local Privilege Escalation Adobe Flash Player Client-side Remote Code Execution Mozilla Firefox Client-Side Remote Code Execution	Available Available Available Available
Microsoft Office Client-Side Remote Code Execution Juniper Network Connect Server Local Privilege Escalation Adobe Flash Player Client-side Remote Code Execution	Available Available
Juniper Network Connect Server Local Privilege Escalation Adobe Flash Player Client-side Remote Code Execution	Available
Adobe Flash Player Client-side Remote Code Execution	
	Λ . 'Ι ΙΙ
Mozilla Firefox Client-Side Remote Code Execution	Available
	Available
Dell SonicWALL Multiple Products Remote Command Execution	Available
Zabbix Remote Code Execution	Available
	Pending
tcpdump Local Privilege Escalation and Backdoor with Firewall Evasion	Available
Microsoft Windows Kernel Local Privilege Escalation	Sold
Internet Explorer 8 Remote Code Execution	Available
	Sold
Red Star OS Local Privilege Escalation with non-System Command Reboot	Available
Red Star OS Local Privilege Escalation	Available
Red Star OS Local Privilege Escalation	Available
Red Star OS Local Privilege Escalation	Available
Red Star OS Local Privilege Escalation	Available
Red Star OS Local Privilege Escalation	Available
Red Star OS Local Privilege Escalation	Available
Red Star OS Local Privilege Escalation	Available
Red Star OS Local Privilege Escalation	Available
Red Star OS Local Privilege Escalation	Available
Red Star OS Local Privilege Escalation	Available
Red Star OS Local Privilege Escalation	Available
Red Star OS Local Privilege Escalation	Available
	Available
	Expired
	Expired
Red Star OS Sat Privileged Remote and Client-Side Command Execution	Available
Webmin Privileged Remote Privileged Information Disclosure	Expired
Webmin Privileged Remote and Client-Side Command Execution	Expired
Webmin Privileged Remote Code Execution	Expired
Microsoft Windows Local Protection Bypass	Available
Microsoft Windows Local Privilege Escalation	Available
Microsoft Windows XP Local Privilege Escalation	Available
*** REDACTED ***	Sold
*** REDACTED ***	Unavailable
Microsoft Windows XP DLL Hijacking Client-Side Remote Code Execution	Unavailable
BSD Perimeter pfSense Remote Privileged Command Execution	Available
	tcpdump Local Privilege Escalation and Backdoor with Firewall Evasion Microsoft Windows Kernel Local Privilege Escalation Internet Explorer 8 Remote Code Execution *** REDACTED *** Red Star OS Local Privilege Escalation with non-System Command Reboot Red Star OS Local Privilege Escalation Red Star OS Local Privilege Remote and Client-Side Command Execution Webmin Privileged Remote Privileged Information Disclosure Webmin Privileged Remote Ode Execution Microsoft Windows Local Privilege Escalation Microsoft Windows Local Privilege Escalation Microsoft Windows Local Privilege Escalation **** REDACTED ***  *** REDACTED ***  Microsoft Windows XP DLL Hijacking Client-Side Remote Code Execution

Table 27.1 – Continued

VBI ID	Description	Status
VBI-11-031	Nagios Enterprises Nagios XI Remote Code Execution	Expired
VBI-11-030	Uptime Systems Up. Time Remote Privileged Code Execution	Available
VBI-11-029	Rhinosoft Serv-U File Server Remote Information Disclosure	Unavailable
VBI-11-028	*** REDACTED ***	Unavailable
VBI-11-027	Multiple FTP Server Remote Privileged Code Execution	Unavailable
VBI-11-026	*** REDACTED ***	Sold
VBI-11-025	*** REDACTED ***	Unavailable
VBI-11-024	Apple Mac OS X Snow Leopard Privilege Escalation	Expired
VBI-11-023	Apple Mac OS X Leopard/Tiger Privilege Escalation	Expired
VBI-11-022	Apple iTunes Device Update Privilege Escalation	Expired
VBI-11-021	NEC Voice Mail Remote Command Execution	Expired
VBI-2011-0020	Microsoft Internet Explorer 7 Client-Side Remote Code Execution	Sold
VBI-2011-0019	Microsoft Internet Explorer 8 Client-Side Remote Code Execution	Sold
VBI-2011-0018	Tectia Server Pre-Auth Remote Code Execution	Sold
VBI-2011-0017	Kresimir Petric FreeFTPd Pre-Auth Remote Authentication Bypass and Code Execution	Sold
VBI-2011-0016	Kresimir Petric FreeSSHd Pre-Auth Remote Authentication Bypass and Code Exeuction	Sold
VBI-2011-0015	FreeBSD and NetBSD telnetd Pre-Auth Remote Code Execution	Sold
VBI-2011-0014	Google SketchUp Client-Side Remote Code Execution	Sold
VBI-2011-0013	Adobe Flash Player Client-Side Remote Code Execution	Sold
VBI-2011-0012	Adobe Illustrator Client-Side Remote Code Execution	Sold
VBI-11-011	PineApp Mail-SeCure Remote Command Execution	Available
VBI-2011-0010	Opera Multiple Products Client-Side Remote Code Execution	Sold
VBI-11-009	*** REDACTED ***	Sold
VBI-11-008	Atmail Multiple Products Input Validation Remote Code and Command Execution	Expired
VBI-11-007	Atmail Multiple Products Input Validation Remote Code and Command Execution	Expired
VBI-11-006	Atmail Multiple Products Input Validation Race Condition Remote Code and Command Execution	Expired
VBI-11-005	Mozilla Firefox Client-Side Remote Code Execution	Patched
VBI-11-004	Java Runtime Environment Client-Side Remote Code Execution	Expired
VBI-11-003	*** REDACTED ***	Sold
VBI-11-002	*** REDACTED ***	Sold
VBI-11-001	*** REDACTED ***	Sold
VBI-2011-0000	Microsoft Windows Local Ring0 Privilege Escalation	Sold
VBI-2010-0031	Oracle Solaris Default Software Local Privilege Escalation	Sold
VBI-10-030	Java Virtual Machine (JRE & JDK) Client-Side Remote Code Execution	Available
VBI-2010-0029	QNX Neutrino RTOS Default Software Local Privilege Escalation	Sold
VBI-2010-0028	QNX Neutrino RTOS Default Software Local Privilege Escalation	Sold
VBI-2010-0027	QNX Neutrino RTOS Default Software Local Privilege Escalation	Sold
VBI-10-026	*** REDACTED ***	Sold
Continued on Nex	t Page	

#### $\operatorname{VBI}$ Vulnerabilities Portfolio

Table 27.1 – Continued

VBI ID	Description	Status
VBI-2010-0025	Enterasys Network Management Suite Remote Code Execution	Sold
VBI-2010-0024	Adobe Shockwave Player Client-Side Code Execution	Sold
VBI-2010-0023	Java Runtime Environment Auto-Update Remote Code Execution	Sold
VBI-2010-0022	Alcohol 120% Remote Code Execution	Sold
VBI-2010-0021	ESET NOD32 Antivirus and ESET Smart Security Remote Pre-auth	Sold
	Code Execution	
VBI-10-020	*** REDACTED ***	Sold
VBI-10-019	Microsoft Windows Core Component Client-Side Remote Code Ex-	Patched
	ecution	
VBI-10-018	Symantec Web Gateway SQL Injection	Unavailable
VBI-2010-0017	Windows Messenger ActiveX Code Execution	Sold
VBI-2010-0016	Java Runtime Environment Auto-Update Code Execution	Sold
VBI-10-015	Flash Client-Side Code Execution	Unavailable
VBI-10-014	Malicious Portable Executable Detection Bypass	Available
VBI-2010-0013	Java Runtime Environment Local Privilege Escalation	Sold
VBI-10-012	Quicktime Code Execution	Unavailable
VBI-2010-0011	Quicktime Client-Side Remote Code Execution	Sold
VBI-2010-0010	Java Runtime Environment Client-Side Remote Code Execution	Sold
VBI-2010-0009	Java Runtime Environment Local Privilege Escalation	Sold
VBI-2010-0008	.NET Client-Side Code Exec	Sold
VBI-2010-0007	Java Runtime Environment Client-Side Remote Command Execution	Patched
VBI-2010-0006	Quicktime Client-Side Remote Code Execution	Patched
VBI-2010-0005	AIX Local Privilege Escalation	Sold
VBI-10-004	Novell Client Remote Code Execution	Available
VBI-10-003	Ventrilo Client Remote Code Execution	Unavailable
VBI-2010-0002	Microsoft Office API Remote Code Execution	Sold
VBI-2010-0001	Adobe Reader Client-Side Remote Code Execution	Sold
VBI-2010-0000	McAfee Anti-Theft Auth Bypass	Sold

## Bibliography

- [1] What is the windows integrity mechanism? http://msdn.microsoft.com/en-us/library/bb625957.aspx.
- [2] Adobe systems incorporated. http://www.adobe.com/.
- [3] Adobe flash player. http://www.adobe.com/products/flashplayer/.
- [4] Adobe photoshop cs6. http://helpx.adobe.com/illustrator/topics-cs6.html.
- [5] Apple, inc. http://www.apple.com/.
- [6] Apple ios. http://www.apple.com/ios/.
- [7] Asus. http://www.asus.com/.
- [8] Avast software, a.s. http://www.avast.com/.
- [9] avast! anti-virus. http://www.avast.com/.
- [10] Barracuda networks, inc. http://www.barracudanetworks.com/.
- [11] Barracuda web filter. http://www.barracudanetworks.com/products/webfilter.
- [12] Dell, inc. http://www.dell.com/.
- [13] Sonicwall. http://content.dell.com/us/en/corp/d/secure/acq-sonicwall.
- [14] Fulvio ricciardi. http://www.linkedin.com/profile/view?id=64509760.
- [15] Zeroshell. http://www.zeroshell.org/.
- [16] Google. http://www.google.com/.
- [17] Android. http://www.android.com/.
- [18] Juniper networks, inc. http://www.juniper.net/.
- [19] Juniper networks sa series. http://www.juniper.net/uk/en/products-services/security/sa-series/.
- [20] Kingsoft office software. http://www.kingsoftstore.com/.
- [21] Kingsoft office. http://www.kingsoftstore.com/software/professional-office-suite.

October 28, 2013 CONFIDENTIAL Page 119 of 120

- [22] Korea computer center. http://en.wikipedia.org/wiki/Korea\_Computer\_Center.
- [23] Red star os. http://en.wikipedia.org/wiki/Red\_Star\_OS.
- [24] Mcafee, inc. http://www.mcafee.com/.
- [25] Mcafee epolicy orchestrator. http://www.mcafee.com/us/products/epolicy-orchestrator.aspx.
- [26] Microsoft corporation. http://www.microsoft.com/.
- [27] Microsoft internet explorer. http://www.microsoft.com/windows/internet-explorer/.
- [28] Microsoft office. http://office.microsoft.com/.
- [29] Microsoft windows. http://www.microsoft.com/windows/.
- [30] Mozilla. http://www.mozilla.com/.
- [31] Mozilla firefox. http://www.mozilla.com/en-US/firefox/.
- [32] Novell. http://www.novell.com/.
- [33] Novell clients. http://www.novell.com/products/clients/.
- [34] Open source. http://en.wikipedia.org/wiki/Open\_source.
- [35] tcpdump. http://www.tcpdump.org/.
- [36] Opera software asa. http://www.opera.com/.
- [37] Opera web browser. http://www.opera.com/products/.
- [38] Oracle corporation. http://www.oracle.com/.
- [39] Java. http://www.java.com/.
- [40] Webcenter content. http://www.oracle.com/technetwork/middleware/webcenter/content/overview/index.html.
- [41] Parallels ip holdings gmbh. http://www.parallels.com/.
- [42] Plesk panel. http://www.parallels.com/products/plesk/.
- [43] Pineapp ltd. http://www.pineapp.com/.
- [44] Mail-secure. http://www.pineapp.com/products/mail-secure.html.
- [45] Safenet, inc. http://www.safenet-inc.com/.
- [46] Sentinel hasp. http://www.safenet-inc.com/software-monetization/sentinel-hasp/.
- [47] Tencent. http://www.tencent.com/.
- [48] Qq player. http://im.qq.com/qq/all.shtml.
- [49] Zabbix sia. http://www.zabbix.com/.
- [50] Zabbix. http://www.zabbix.com/product.php.